



Parts List and Sewing Equipment 零件样本和缝纫附件

281

DÜRKOPP ADLER


Manufacturer: Dürkopp Adler Manufacturing (Shanghai) Co., Ltd.
1201 Luoshan Road, Pudong New Area, Shanghai 200135, China
Contact: Dürkopp Adler AG, PO Box 17 03 51, D-33703 Bielefeld, Potsdamerstr. 190, D-33719 Bielefeld,
Phone +49 (0) 521 9 25 00, Fax +49 (0) 521 9 25 24 35, www.duerkopp-adler.com
制造商: 杜克普爱华工业制造(上海)有限公司
中国上海浦东新区罗山路1201号 邮政编码:200135
联系单位: Dürkopp Adler AG, PO Box 17 03 51, D-33703 Bielefeld, Potsdamerstr. 190, D-33719 Bielefeld,
Phone +49 (0) 521 9 25 00, Fax +49 (0) 521 9 25 24 35, www.duerkopp-adler.com


Edition: 03/2010	Revision index 02.0	Printed in China 中国印制	Part.-No.: 0791 281801
----------------------------	-------------------------------	-----------------------	----------------------------------

Table of contents	Table / 图表	目录
Arm, bed plate, covers	1	机壳、底板及罩壳
Main shaft, thread take-up	2	上轴和挑线机构
Motor, lower shaft	3	马达和下轴部件
Thread tension, thread guide	4	过线系统
Bobbin winder, pretension	5	绕线器及其过线系统
Foot lifter mechanism, solenoid	6	抬压脚机构和自动抬压脚电磁铁
Stitch length mechanism	7	针距调节机构
Feed dog carrier	8	送料机构
Hook shaft bearing, hook	9	旋梭轴轴承、旋梭
Gear box cover, control box with operating panel	10	齿轮箱盖、电脑控制箱 及控制操作面板
Thread trimmer	11	剪线机构
Cable sets, push button switch	12	连接电线,按钮开关
Accessory box	13	附件盒
Sewing equipments		缝纫附件
Sewing lamp		缝纫机灯
Edge guides		导边器

All rights reserved.
Property of Dürkopp Adler and copyrighted. Reproduction or publication of the content in any manner, even in extracts, without prior written permission of Dürkopp Adler, is prohibited.

版权所有，不许翻印
版权和产权归杜克普爱华有限公司所有。未经杜克普爱华有限公司书面许可，禁止以任何方式翻印或复印本内容，包括摘要。






Telle Nr.siehe Näheneinrichtung 9330 000097 CN
Part no.see sewing equipment 9202 002473 CN



N- nicht als Einzelteil lieferbar
not available as separate part

2




N- nicht als Einzelteil lieferbar
not available as separate part

Scale 50%

Cl. 281

Ausgabe/Edition 11.03.2010



N- nicht als Einzelteil lieferbar
not available as separate part

Scale 50%

CI. 281

Ausgabe/Edition 11.03.2010

0281 350083


9205 102168 CN

0281 380224

9204 210657 CN

9357 000140

0281 380230



9205 101868 CN
9205 101868 CN

0281 110340

9203 141873

9820 110023

0281 110080

0281 110090

0219 000353 CN

0281 110170

9205 102168 CN

0281 110290

0281 110120

9205 101868 CN

0281 110100

0281 110110

0281 110250

0281 110190

0281 110200

0281 110210

0281 110223

9205 101868 CN

0281 110044

0281 110043


0244 000415 CN


0244 000414 CN

0281 110060

0281 110230


0281 110244







N- nicht als Einzelteil lieferbar
not available as separate part









N - nicht als Einzelteil lieferbar
not available as separate part




N - nicht als Einzelteil lieferbar
not available as separate part


(Getriebe/gearbox)
9047 000032



0281 380164
0281 380160
9041 100025 (105 mm)



9203 100631 CN
(7x)



0281 380070

9202 002487 CN (10x)

0281 380080

0556 003087 CN

0281 140053

0281 380090


0281 380063

0281 140100


9800 170031 R

0281 490050

9800 360105




9800 360104



9825 810222
F15A/250V

MG43 000484


9800 370003




9800 370005

9825 810409

T0,6A/250V








—0281 350372
9203 003057 CN

203 003057 CN

003057 CN


9870 281001 CN




9870 281000 CN

C1.281

0281 700014



0281 150150 — 4x



9207 170227 CN (3,5x17) — 8x

9207 170837 CN (5,0x20) — 1x

0281 400070 9081 500120 CN




0281 400030 (2x)



0281 400040 (2x)





0281 400100 (2x)




0281 400060

0281 490070 (2x)

9301 022608 CN (5H8x60)




9081 500140 CN



9081 500130 CN
9081 500010 CN

0281 130374



0281 130380
9201 113667 CN

9201 113667 CN


0281 130420

0281 130464


0281 130430

0281 130460
0281 130470


0281 130440



0281 130450
0281 130480




0281 380114




0267 700010

0281 590034


auf Wunsch
on request




N900 012015 auf Wunsch
on request




N900 011038 auf Wunsch
on request




N900 023421 auf Wunsch
on request




N900 020023 auf Wunsch
on request




N900 020021 auf Wunsch
on request









E1





E2



E3




E20







E50




E51



E66



E70





E-No. E-No.	For Subclass / For Subclass	Material No. / Material No.	① Throat plate / Throat plate	③ Sewing foot / Sewing foot	④ Roller foot / Roller foot	② Feed dog serrated / Feed dog serrated	⑤ Needle / Needle	⑥ Needle / Needle	⑦ Needle system / -size / Needle system / -size	⑧ Needle system / -size / Needle system / -size
Fig.No. Fig.-No.	Use / Use		Stitch hole size / Stitch hole size		Spacer / Spacer	mm				
E1	-140342; -140442 (0281-990110; 0281-990120) ⁴⁾ -140342; -140442 (0281-990010; 0281-990020) ⁵⁾ Sewing equipment for general sewing in light weight material. Max. stitch length 3.5 mm Articulated foot. Sewing equipment for general sewing in light weight material. Max. stitch length 3.5 mm Articulated foot.	0281 E00001 20	0281 200110	Ø 1.3	0281 220114	0281 210110; 0.7	DB x 1	9092 013400 070	DB x 1 # 9	134/70
E2	-140342; -140442 (0281-990110; 0281-990120) ⁴⁾ -140342; -140442 (0281-990010; 0281-990020) ⁵⁾ Sewing equipment for general sewing in light to medium weight material. Max. stitch length 4.5 mm. Articulated foot. Sewing equipment for general sewing in light to medium weight material. Max. stitch length 4.5 mm. Articulated foot.	0281 E00002 20	0281 200120	Ø 1.6	0281 220024	0281 210120; 1.1	DB x 1	9092 013400 080	DB x 1 # 12	134/80
E3	-140342 (0281-990110) ⁴⁾ -140342 (0281-990010) ⁵⁾ Sewing equipment for general sewing in medium weight material. Max. stitch length 4.5 mm Articulated foot. Sewing equipment for general sewing in medium weight material. Max. stitch length 4.5 mm Articulated foot.	0281 E00003 20	0281 200130	Ø 2.0	0281 220034	0281 210130; 1.6	DB x 1	9092 013400 100	DB x 1 # 16	134/100
E20	-140342; -140442 Sewing equipment for stitching operations, with roller foot for light weight leather. Max. stitch length 4.5 mm. Needle size Nm 80 - 100. Sewing equipment for stitching operations, with roller foot for light weight leather. Max. stitch length 4.5 mm. Needle size Nm 80 - 100.	0281 E00020 20	0271 006507	Ø 1.5	0281 220064	0271 006606; 1.2		9092 013406 090		134LR/90

4) only for China / only for China

5) for the rest of the world / for the rest of the world



E-No. E-No. Fig.No. Fig.-No.	For Subclass / For Subclass Use / Use	Material No. / Material No.	①	③	④	②	Material presser bar / Material presser bar Needle / Needle Needle system / -size / Needle system / -size
			Throat plate / Throat plate Stitch hole size / Stitch hole size mm	Sewing foot / Sewing foot Roller foot / Roller foot Spacer / Spacer Feed dog serrated / Feed dog serrated mm			
E50	-140342; -140442 Sewing equipment for binding operations with the mobile binder N900 003441 / N015 in very light weight material. Max. stitch length 4.5 mm. Needle size Nm 65 - 80. <i>Sewing equipment for binding operations with the mobile binder N900 003441 / N015 in very light weight material. Max. stitch length 4.5 mm. Needle size Nm 65 - 80.</i>	0281 E00050 20	0271 006524 Ø 1,3	0204 000886	0271 006618 0281 210050; 1,2		9092 013440 070G 134 SAN 10-70
E51	-140342; -140442 Sewing equipment for binding operations according to N014, N015 and N017 in medium weight material. Max. stitch length 4 mm Needle size Nm 80 - 100. <i>Sewing equipment for binding operations according to N014, N015 and N017 in medium weight material. Max. stitch length 4 mm Needle size Nm 80 - 100.</i>	0281 E00051 20	0220 001521 2,7 x 1,8	0204 000886	0271 006604; 1,6		9092 013400 100 134/100
E66	-140342; -140442 Sewing equipment for general sewing in light to medium weight material. Max. stitch length 4.5 mm. Needle size Nm 70 - 100. Articulated foot. <i>Sewing equipment for general sewing in light to medium weight material. Max. stitch length 4.5 mm. Needle size Nm 70 - 100. Articulated foot.</i>	0281 E00066 20	0271 006525 Ø 1,2	0271 006818	0271 006618 0275 210090; 1,2		9092 013440 070G 134 SAN 10-70
E70	-140342; -140442 Sewing equipment for general sewing in light to medium weight material. Max. stitch length 4.5 mm. Needle size Nm 70 - 100. Articulated foot. <i>Sewing equipment for general sewing in light to medium weight material. Max. stitch length 4.5 mm. Needle size Nm 70 - 100. Articulated foot.</i>	0281 E00070 20	0271 006523 Ø 1,2	0204 002520	0271 006618 0271 006619; 1,2		9092 013440 070G 134 SAN 10-70