

# MOG-3700 SERIES No.1 / N°2

# JUKI®

High-Speed, 1-Needle, Overlock Machine for Extra Heavy-weight Materials

**MOG-3704**

High-Speed, 2-Needle, Overlock Machine for Extra Heavy-weight Materials

**MOG-3714**


High-Speed, Safety-Stitch Machine for Extra Heavy-weight Materials

**MOG-3716**

## PARTS LIST

**ATENÇÃO: ALGUMAS PEÇAS  
SIMILARES DA MAQ.  
RIMQUALITY RQ 627**

### 1. FRAME COMPONENTS(1)




|    |     |               |                             |     |
|----|-----|---------------|-----------------------------|-----|
| 1  |     | 121-05359     | CLOTH PLATE ASM.            | 1   |
| 2  |     | 121-02752     | CLOTH PLATE ASM.            | (1) |
| 3  |     | 115-01301     | ECCENTRIC BUSHING           | (1) |
| 4  |     | WZ-0420350-KP | DISC SPRING                 | (1) |
| 5  |     | CS-0400671-SD | THRUST HOLDER               | (1) |
| 6  |     | SM-8040302-TP | SETSCREW                    | (1) |
| 7  |     | 121-03511     | CROTH PLATE SUPPORTER       | 1   |
| 8  |     | 119-49005     | CLOTH BASE COVER            | 1   |
| 9  |     | SS-7091410-SP | SCREW 9/64-40 L=13.5        | 1   |
| 10 |     | SS-8110410-TP | SCREW 11/64-40 L= 3.5       | 1   |
| 11 |     | 118-02402     | SPRING                      | 1   |
| 12 |     | NS-6110420-SP | NUT 11/64-40                | 1   |
| 13 |     | SS-6111440-SP | SCREW 11/64-40 L=14.0       | 1   |
| 14 |     | 121-03305     | STOPPER                     | 1   |
| 15 |     | SS-7110710-SP | SCREW 11/64-40 L=7          | 2   |
| 16 |     | SS-4091015-SP | SCREW 9/64-40 L=10          | 2   |
| 17 | #01 | 123-70201     | CLOTH BASE SIDE COVER       | 1   |
| 18 | #02 | 123-70300     | CLOTH BASE SIDE COVER       | 1   |
| 19 |     | 122-50510     | FEED MECHANISM COVER        | 1   |
| 20 |     | SM-1040801-SC | SCREW M4X0.7 L=8            | 1   |
| 21 |     | SM-4040855-SP | SCREW                       | 4   |
| 22 |     | B1140-716-000 | SPRING                      | 1   |
| 23 |     | 122-50601     | GASKET                      | 1   |
| 24 |     | 119-51100     | COVER                       | 1   |
| 25 |     | 118-04309     | GASKET                      | 1   |
| 26 |     | SM-4040855-SP | SCREW                       | 4   |
| 27 | #01 | 121-02307     | CHIP GUARD COVER, LEFT      | 1   |
| 28 | #02 | 121-02406     | CHIP GUARD COVER, LEFT      | 1   |
| 29 |     | SS-7110510-SP | SCREW 11/64-40 L=5          | 2   |
| 30 | #01 | 123-79509     | CLOTH WASTE COVER           | 1   |
| 31 | #02 | 123-79608     | CLOTH WASTE COVER           | 1   |
| 32 |     | SS-2090520-SL | SCREW 9/64-40 L=5           | 1   |
| 33 |     | 121-01515     | CROTH WASTE COVER STOPPER   | 1   |
| 34 |     | NS-6090310-SN | NUT 9/64-40                 | 1   |
| 35 |     | SS-3090610-SP | SCREW 9/64-40 L=6           | 2   |
| 36 |     | 121-01309     | LOOPER COVER                | 1   |
| 37 |     | 118-03004     | LOOPER COVER HINGE PIN      | 1   |
| 38 |     | SS-8110410-TP | SCREW 11/64-40 L= 3.5       | 1   |
| 39 |     | 121-01200     | LOOPER COVER BRACKET        | 1   |
| 40 |     | SM-4041055-SP | SCREW                       | 3   |
| 41 |     | 121-03404     | LOOPER COVER PRESSER SPRING | 1   |
| 42 |     | SM-4040655-SP | SCREW                       | 1   |
| 43 |     | SS-7090530-SP | SCREW 9/64-40 L= 4.5        | 1   |
| 44 |     | 121-03206     | LOOPER COVER PRESSER PLATE  | 1   |
| 45 |     | 121-01408     | GUIDE PLATE                 | 1   |
| 46 |     | SS-7090610-SP | SCREW 9/64-40 L=6           | 1   |
| 47 |     | 118-02204     | RUBBER PLUG                 | 1   |
| 48 | #03 | CM-3002000-01 | ATTENTION SEAL              | 1   |
| 49 |     | SS-4120615-SP | SCREW 3/16-28 L=6           | 2   |

Not #01... FOR MOG-3704, MOG-3714

#02... FOR MOG-3716

#03... FOR JE


## 2.FRAME COMPONENTS(2)



|    |     |               |                           |     |
|----|-----|---------------|---------------------------|-----|
| 1  |     | 122-50304     | UPPER COVER               | 1   |
| 2  |     | 121-00707     | GASKET                    | 1   |
| 3  |     | 121-00608     | OIL CAP                   | 1   |
| 4  |     | SM-4051255-SP | SCREW, M5 L=12            | 6   |
| 5  | #04 | 121-01952     | BELT COVER ASM            | 1   |
| 6  | #05 | 121-01960     | BELT COVER ASM            | 1   |
| 7  | #04 | CM-3002000-A1 | CAUTION LABEL (16)        | (1) |
| 8  | #04 | 121-01903     | BELT COVER                | (1) |
| 9  | #05 | 121-01903     | BELT COVER                | (1) |
| 10 | #04 | CM-5002000-01 | DIRECTION LABEL           | (1) |
| 11 | #05 | CM-5002000-01 | DIRECTION LABEL           | (1) |
| 12 |     | SS-4151215-SP | SCREW 15/64-28 L=12       | 3   |
| 13 |     | 118-05207     | THREAD GUIDE, LARGE       | 2   |
| 14 | #01 | TA-1871602-R0 | RUBBER PLUG               | 1   |
| 15 |     | SS-5110710-SP | SCREW 11/64-40 L=7        | 1   |
| 16 |     | WZ-0850302-K0 | WAVED WASHER 8.5X12.5X0.3 | 2   |
| 17 |     | B3013-141-H0A | WASHER                    | 1   |
| 18 |     | 121-02000     | SAFETY PLATE BRACKET      | 1   |
| 19 |     | SS-7090611-SL | SCREW 9/64-40 L=6.1       | 2   |
| 20 | #02 | 121-02109     | SAFETY PLATE              | 1   |
| 21 |     | 115-03703     | SCREW STUD                | 4   |
| 22 |     | WP-0751576-SD | WASHER 7.5X19X1.5         | 4   |
| 23 |     | WS-0822010-KP | SPRING WASHER 8.2X15X2    | 4   |
| 24 |     | NS-6680410-SP | NUT 9/32-28               | 4   |
| 25 |     | 115-03919     | OIL RESERVOIR GASKET      | 1   |
| 26 |     | 115-03885     | OIL RESERVOIR ASM.        | 1   |
| 27 |     | RO-0742401-00 | RUBBER RING               | (1) |
| 28 |     | SM-0081001-SD | SCREW                     | (1) |
| 29 |     | 115-03810     | OIL RESERVOIR             | (1) |
| 30 |     | TA-0750704-R0 | RUBBER PLUG               | 1   |
| 31 |     | TA-1701107-R0 | RUBBER PLUG               | 1   |
| 32 | #01 | 121-04907     | SAFETY PLATE              | 1   |
| 33 |     | 118-41350     | FILTER BASE ASM.          | 1   |
| 34 | #03 | 121-05201     | BELT COVER                | 1   |
| 35 | #03 | SK-3412000-SC | WOOD SCREW D=4.1 L=20     | 2   |
| 36 |     | 118-42804     | SHELTER PLATE             | 1   |
| 37 |     | 122-50403     | UPPER COVER GASKET        | 1   |
| 38 |     | 122-50205     | SIDE COVER                | 1   |
| 39 |     | 121-00301     | SIDE COVER GASKET         | 1   |
| 40 |     | SM-4040855-SP | SCREW                     | 3   |
| 41 |     | SM-1040801-SC | SCREW M4X0.7 L=8          | 1   |
| 42 |     | SS-9151210-TP | SCREW 15/64-28 L=11.8     | 1   |
| 43 |     | 122-58000     | BUSH                      | 1   |
| 44 | #04 | CM-3002001-01 | SAFETY LABEL, 1 (SMALL)   | 1   |
| 45 | #06 | CM-3002001-A1 | SAFETY LABEL, 3 (SMALL)   | 1   |
| 46 |     | 100-04109     | GROUND MARK               | 1   |
| 47 |     | 123-71100     | BRAND LABEL               | 1   |

Note #01....FOR MOG-3704, MOG-3714  
 #02....FOR MOG-3716  
 #03....FOR JE  
 #04....FOR DOMESTIC USE  
 #05....FOR EXPORT  
 #06....FOR EXPORT (EXCEPT JE)


### 3. CRANKSHAFT COMPONENTS



|    |     |               |                            |     |
|----|-----|---------------|----------------------------|-----|
| 1  | #01 | 121-08213     | CRANKSHAFT BUSHING D       | 1   |
| 2  | #01 | SM-4040855-SP | SCREW                      | 3   |
| 3  | #02 | SM-4040855-SP | SCREW                      | 3   |
| 4  | #02 | 121-08304     | CRANKSHAFT BUSHING D       | 1   |
| 5  |     | 121-08403     | GASKET                     | 1   |
| 6  | #01 | B1215-804-000 | BALL BEARING D             | 1   |
| 7  | #02 | SS-1100003-00 | BALL BEARING               | 1   |
| 8  |     | 121-08007     | CRANKSHAFT BUSHING C       | 1   |
| 9  |     | 123-75408     | STOPPER R                  | 2   |
| 10 |     | 123-71506     | CRANKSHAFT                 | 1   |
| 11 |     | 121-32155     | KNIFE DRIVING ROD ASM.     | 1   |
| 12 |     | SS-7111810-TP | SCREW 11/64-40 L=18        | 1   |
| 13 |     | SS-7110840-SP | SCREW 11/64-40 L=7.8       | 2   |
| 14 |     | 123-72603     | CONNECTING ROD             | 1   |
| 15 |     | SS-7111810-TP | SCREW 11/64-40 L=18        | 2   |
| 16 |     | SS-7110840-SP | SCREW 11/64-40 L=7.8       | 1   |
| 17 |     | B1212-704-000 | BEARING RETAINER           | 1   |
| 18 |     | B1211-804-000 | BALL BEARING B             | 1   |
| 19 |     | 123-75051     | UPPER LOOPER ARM ASM.      | 1   |
| 20 |     | SS-7111810-TP | SCREW 11/64-40 L=18        | (2) |
| 21 |     | 121-25001     | LOOPER DRIVING ROD         | (1) |
| 22 |     | SS-7111410-TP | SCREW 11/64-40 L=14        | (2) |
| 23 |     | 121-22313     | UPPER LOOPER ARM           | (1) |
| 24 |     | SM-6061202-TP | SCREW M6 L=12              | (1) |
| 25 |     | 123-75309     | STOPPER L                  | 2   |
| 26 | #01 | 123-75150     | LOWER LOOPER ARM A ASM.    | 1   |
| 27 |     | SS-7111810-TP | SCREW 11/64-40 L=18        | (2) |
| 28 |     | 121-25001     | LOOPER DRIVING ROD         | (1) |
| 29 |     | SS-7111410-TP | SCREW 11/64-40 L=14        | (2) |
| 30 |     | 121-23311     | LOWER LOOPER ARM A         | (1) |
| 31 |     | SM-6061202-TP | SCREW M6 L=12              | (1) |
| 32 | #02 | 123-75259     | LOWER LOOPER ARM B ASM.    | 1   |
| 33 |     | SS-7111810-TP | SCREW 11/64-40 L=18        | (2) |
| 34 |     | 121-25001     | LOOPER DRIVING ROD         | (1) |
| 35 |     | SS-7111410-TP | SCREW 11/64-40 L=14        | (2) |
| 36 |     | 121-20101     | LOWER LOOPER ARM B         | (1) |
| 37 |     | B1211-804-000 | BALL BEARING B             | 1   |
| 38 |     | 115-10609     | WASHER                     | 1   |
| 39 |     | WZ-2640310-KH | WAVED WASHER 26.4X33.9X3.5 | 1   |
| 40 |     | RO-3473501-00 | RUBBER RING                | 1   |
| 41 |     | 121-07702     | THRUST HOLDER              | 1   |
| 42 |     | SM-4050855-SP | SCREW                      | 3   |
| 43 |     | 118-11502     | OIL SHIELD                 | 1   |
| 44 |     | 120-02606     | HAND HEEL A                | 1   |
| 45 |     | SS-8151150-SP | SCREW 15/64-28 L=10.5      | 2   |
| 46 |     | WP-0764016-SP | WASHER                     | 1   |
| 47 |     | SS-9681610-TP | SCREW 9/32-28 L=16         | 1   |
| 48 | #03 | 120-25706     | FLYWHEEL (C)               | 1   |
| 49 |     | SS-7111810-SP | SCREW 11/64-40 L=18        | 3   |
| 50 |     | 121-07900     | BALANCER                   | 1   |
| 51 |     | SS-4080620-TP | SCREW 1/8-44 L=6           | 2   |
| 52 |     | 121-08106     | OIL ADJUSTING BAR          | 1   |
| 53 |     | SS-5080212-TP | SCREW 1/8-44 L=2           | 5   |
| 54 |     | 122-52508     | THRUST COVER               | 1   |
| 55 | #04 | 119-56505     | HAND HEEL C                | 1   |

Note #01... FOR MOG-3704, MOG-3714  
 #02... FOR MOG-3716  
 #03... FOR MOG-3704, MOG-3716  
 #04... FOR MOG-3714


# 4. NEEDLE DRIVING SHAFT COMPONENTS



|    |     |               |                                 |       |
|----|-----|---------------|---------------------------------|-------|
| 1  |     | 121-09260.    | FEED FORKED CRANK ASM.          | 1     |
| 2  |     | SM-6061202-TP | SCREW M6 L=12                   | (1)   |
| 3  |     | 121-09666     | NEEDLE DRIVING ARM ASM.         | 1     |
| 4  |     | SM-6061402-TP | SCREW M6 L=14                   | (1)   |
| 5  |     | SS-8090530-TP | SCREW 9/64-40 L= 5.0            | 2     |
| 6  |     | 121-09302     | NEEDLE DRIVING SHAFT            | 1     |
| 7  |     | 122-52805     | BUSHING, REAR                   | 1     |
| 8  | #03 | M1420-5B1-100 | NEEDLE 142X5 #110               | 2     |
| 9  |     | 121-09500     | BUSHING, REAR                   | 1     |
| 10 |     | CS-1201010-SH | THRUST COLLAR ASM. D=12 W=10    | 2     |
| 11 |     | SS-8660610-TP | SCREW 1/4-40 L=6                | (4)   |
| 12 | #01 | 118-23804     | CRANK PIN C                     | 1     |
| 13 | #01 | 121-09955     | LINK PIN C ASM.                 | 2     |
| 14 |     | CQ-2520000-00 | OIL WICK                        | (0.1) |
| 15 |     | 123-72157     | NEEDLE HOLDER ASM.              | 1     |
| 16 |     | 121-10219     | NEEDLE HOLDER                   | (1)   |
| 17 |     | 123-72108     | NEEDLE HOLDER BUSHING           | 1     |
| 18 |     | RO-1082401-00 | RUBBER RING                     | 1     |
| 19 |     | SS-8110710-SP | SCREW 11/64-40 L=6.5            | 1     |
| 20 | #05 | 121-11209     | NEEDLE THREAD GUIDE             | 1     |
| 21 |     | SS-4110515-SP | SCREW 11/64-40 L=5              | 1     |
| 22 | #03 | 121-11308     | THREAD GUIDE, 2-NEEDLE          | 1     |
| 23 | #04 | 123-86603     | THREAD GUIDE, CHAIN LOOPER      | 1     |
| 24 |     | 123-72009     | NEEDLE DRIVING LINK             | 1     |
| 25 |     | SM-4040855-SP | SCREW                           | 1     |
| 26 | #03 | 123-72306     | TAKE-UP LEVER GUIDE             | 1     |
| 27 | #04 | 123-72405     | TAKE-UP LEVER GUIDE, CHAIN LOOP | 1     |
| 28 |     | 121-12108     | NEEDLE THREAD GUIDE STAND       | 1     |
| 29 |     | SM-4040855-SP | SCREW                           | 2     |
| 30 |     | SS-6080720-SP | SCREW                           | 1     |
| 31 |     | 122-80608     | NEEDLE CAAMP.                   | 1     |
| 32 | #06 | 121-10607     | NEEDLE THREAD PRESSER GUIDE, A  | 1     |
| 33 |     | 121-10904     | NEEDLE THREAD PRESSER PLATE     | 1     |
| 34 |     | 121-10805     | NEEDLE THREAD PRESSER SPRING    | 1     |
| 35 |     | SD-0280401-SL | HINGE SCREW D=2.8 H=4           | 1     |
| 36 | #04 | 121-10706     | NEEDLE THREAD PRESSER GUIDE, B  | 1     |
| 37 | #02 | 121-11506     | NEEDLE THREAD TAKE-UP LEVER     | 1     |
| 38 |     | SS-6090670-TP | SCREW 9/64-40 L=6               | 2     |
| 39 | #03 | 121-11605     | TAKE-UP LEVER, 2-NEEDLE         | 1     |
| 40 | #04 | 123-72207     | TAKE-UP LEVER, CHAIN LOOPER     | 1     |
| 41 | #02 | SS-8080310-TP | SCREW 1/8-44 L=2.8              | 1     |
| 42 | #02 | M1420-5B1-300 | NEEDLE 142X5 #130               | 1     |
| 43 | #07 | SS-8080310-TP | SCREW 1/8-44 L=2.8              | 2     |
| 44 | #04 | M1420-5B1-300 | NEEDLE 142X5 #130               | 2     |
| 45 | #02 | 123-78808     | NEEDLE CLAMP                    | 1     |
| 46 | #03 | 123-78907     | NEEDLE CLAMP, 2-NEEDLE          | 1     |
| 47 | #04 | 123-79004     | NEEDLE CLAMP, CHAIN LOOPER      | 1     |

Note #01....SELECTING PART FOR FIT TOLERANCE  
#02....FOR MOG-3704  
#03....FOR MOG-3714  
#04....FOR MOG-3716  
#05....FOR MOG-3704, MOG-3716  
#06....FOR MOG-3704, MOG-3714  
#07....FOR MOG-3714, MOG-3716

# 5. FEED MECHANISM COMPONENTS(1)




| REF. NO. | NOTE | PART NO.      | DESCRIPTION                    | QTY |
|----------|------|---------------|--------------------------------|-----|
| 1        |      | 118-24067     | MAIN FEED ROCKER ASM.          | 1   |
| 2        |      | SM-6051202-TP | SCREW M5X0.8 L=12              | (1) |
| 3        |      | 118-24018     | PIN                            | (1) |
| 4        |      | 115-30110     | MAIN FEED ROCKER               | (1) |
| 5        |      | 119-48601     | WASHER B                       | (1) |
| 6        |      | NS-6620320-SP | NUT 3/16-32                    | (1) |
| 7        |      | B1654-704-000 | WASHER                         | 1   |
| 8        |      | 118-24109     | MAIN FEED LINK                 | 1   |
| 9        |      | B1620-804-000 | COLLAR                         | 1   |
| 10       |      | B2107-816-000 | WASHER                         | 1   |
| 11       |      | SS-6121220-TP | SCREW 3/16-28 L=11.5           | 1   |
| 12       |      | 121-17206     | FEED ROCKER SHAFT BUSHING, FRO | 1   |
| 13       |      | TA-2050416-RO | RUBBER PLUG                    | 1   |
| 14       |      | 121-19210     | FORKED LINK                    | 1   |
| 15       |      | SM-6061202-TP | SCREW M6 L=12                  | 1   |
| 16       |      | CS-095081A-SH | THRUST COLLAR ASM. D=9.53 W=8  | 2   |
| 17       |      | SS-8110410-TP | SCREW 11/64-40 L= 3.5          | (4) |
| 18       |      | 121-17305     | FEED ROCKER SHAFT BUSHING, REA | 1   |
| 19       |      | 121-18907     | FEED SHAFT                     | 1   |
| 20       |      | SS-7110910-TP | SCREW 11/64-40 L= 8.5          | 1   |
| 21       |      | 118-28704     | SLIDE BLOCK                    | 1   |
| 22       |      | B1652-704-000 | SPRING                         | 1   |
| 23       |      | B1650-704-000 | PUSH BUTTON STUD               | 1   |
| 24       |      | SM-4041455-SN | SCREW M4 L=14                  | 1   |
| 25       |      | B1651-704-000 | FELT                           | 1   |
| 26       |      | TA-1030402-RO | RUBBER PLUG D=10.3 L=4         | 1   |
| 27       | #01  | 118-23804     | CRANK PIN C                    | 1   |
| 28       |      | 121-16174     | FEED ECCENTRIC BODY ASM.       | 1   |
| 29       |      | B1605-704-000 | RATCHET GEAR                   | (1) |
| 30       |      | SS-8110750-SP | SCREW 11/64-40 L= 6.5          | (1) |
| 31       |      | SS-6110710-TP | SCREW 11/64-40 L= 6.5          | (1) |
| 32       |      | SD-0260271-SP | HINGE SCREW D= 2.60 H= 2.7     | (1) |
| 33       |      | B1604-704-000 | RATCHET PAWL                   | (1) |
| 34       |      | PS-0300132-KH | SPRING PIN 3X13                | (2) |
| 35       |      | SS-7110810-SP | SCREW 11/64-40 L= 8.0          | (2) |
| 36       |      | 121-16307     | FEED CAM BLOCK                 | (1) |
| 37       |      | 121-16406     | FEED ADJUSTING CAM             | (1) |
| 38       |      | B1606-704-000 | RATCHET PAWL SPRING            | (1) |
| 39       |      | 121-16505     | CRANK ROD                      | (1) |
| 40       | #01  | 121-16703     | NEEDLE BEARING B               | (1) |
| 41       |      | 121-17107     | RATCHET GEAR SPRING            | (1) |
| 42       |      | SS-6080320-SP | SCREW 1/8-44 L= 2.5            | (1) |
| 43       |      | 121-16208     | FEED CAM                       | (1) |
| 44       |      | 121-16109     | FEED ECCENTRIC BODY            | (1) |

No te #01...SELECTING PART FOR FIT TOLERANCE

# MOG-3700 SERIES No.1


## 6. FEED MECHANISM COMPONENTS(2)



|    |     |                 |                               |     |
|----|-----|-----------------|-------------------------------|-----|
| 1  |     | 118-24505       | FEED BAR SHAFT                | 1   |
| 2  |     | SM-4040855-SP   | SCREW                         | 1   |
| 3  |     | 115-29005       | STOPPER                       | 2   |
| 4  |     | TA-0800504-50   | PLUG D=8 L=4.5                | 1   |
| 5  |     | RO-0781901-00   | RUBBER RING                   | 1   |
| 6  |     | 118-24653       | THRUST COLLAR ASM.            | 1   |
| 7  |     | SS-8660330-SP   | SCREW 1/4-40 L= 3.0           | (1) |
| 8  |     | 115-29914       | WASHER                        | 1   |
| 9  |     | B1624-704-000   | SLIDE BLOCK                   | 1   |
| 10 |     | 118-28050       | COLLAR ASM.                   | 1   |
| 11 |     | SS-8110410-TP   | SCREW 11/64-40 L= 3.5         | (1) |
| 12 | #01 | 117-01604       | MAIN FEED DOG                 | 1   |
| 13 | #02 | 120-13306       | MAIN FEED DOG                 | 1   |
| 14 | #03 | 123-82503       | MAIN FEED DOG                 | 1   |
| 15 |     | SS-9111050-SP   | SCREW 11/64-40 L=9.5          | 1   |
| 16 | #01 | 123-83402       | AUXILIARY FEED DOG            | 1   |
| 17 | #02 | 116-51809       | AUXILIARY FEED DOG            | 1   |
| 18 | #03 | 115-28502       | AUXILIARY FEED DOG            | 1   |
| 19 |     | 121-17461       | MAIN FEED BAR ASM.            | 1   |
| 20 |     | 121-17511       | DIFFERENTIAL FEED BAR         | (1) |
| 21 |     | 121-17412       | MAIN FEED BAR                 | (1) |
| 22 | #01 | 117-01703       | DIFFERENTIAL FEED DOG         | 1   |
| 23 | #02 | 120-13405       | SUB FEED DOG                  | 1   |
| 24 | #03 | 115-28403       | DIFFERENTIAL FEED DOG         | 1   |
| 25 |     | SS-9111010-SP   | SCREW 11/64-40 L=9.5          | 1   |
| 26 |     | RE-0500000-K0   | E-RING                        | 1   |
| 27 |     | 118-26310       | ADJUSTING LINK                | 1   |
| 28 |     | SD-0720271-SP   | HINGE SCREW D=7.2 H=2.7       | 1   |
| 29 |     | 118-28563       | DIFFERENTIAL FEED ROCKER ASM. | 1   |
| 30 |     | 118-25304       | PIN                           | (1) |
| 31 |     | 118-26401       | PIN COVER                     | (1) |
| 32 |     | SS-6080410-SP   | SCREW 1/8-44 L=4              | (2) |
| 33 |     | 118-28514       | DIFFERENTIAL FEED ROCKER ASM. | (1) |
| 34 |     | SM-6051202-TP   | SCREW M5X0.8 L=12             | (1) |
| 35 |     | B1414-555-000   | SLIDE BLOCK                   | 1   |
| 36 |     | WP-0621016-SD   | WASHER 6.2X13X1               | 1   |
| 37 |     | B1647-704-000-A | DIFFERENTIAL FEED LOCK NUT    | 1   |
| 38 |     | B1646-704-000-A | DIFFERENTIAL FEED HINGE SCREW | 1   |
| 39 |     | SS-7060310-SP   | SCREW 3/32-56 L=3             | 6   |
| 40 |     | 121-19756       | RUBBER PLATE ASM.             | 1   |
| 41 |     | 121-19806       | RUBBER PREESSER PLATE         | 1   |
| 42 |     | 121-19608       | OIL SHIELD RUBBER             | 1   |
| 43 |     | 121-19905       | RUBBER COVER                  | 1   |
| 44 |     | 121-20002       | RUBBER BASE PLATE             | 1   |
| 45 |     | SS-7090620-TP   | SCREW 9/64-40 L=6.1           | 2   |
| 46 |     | 121-19400       | RUBBER CASE                   | 1   |
| 47 |     | 118-27607       | OIL SHIELD RUBBER, LOWER      | 1   |
| 48 |     | SS-7060510-SP   | SCREW 3/32-56 L=4.8           | 2   |
| 49 |     | 118-24703       | FEED BAR SUPPORT              | 2   |
| 50 |     | 121-19509       | RUBBER                        | 1   |
| 51 |     | 118-27904       | RUBBER                        | 1   |
| 52 |     | RO-4801201-00   | RUBBER RING                   | 1   |
| 53 | #03 | 118-28407       | THROAT PLATE SUPPORT G        | 1   |
| 54 |     | WP-0371016-SD   | WASHER 3.7X8X1                | 2   |
| 55 |     | WP-0480856-SP   | WASHER 4.8X8.4X0.8            | 4   |
| 56 |     | SM-4041055-SP   | SCREW                         | 4   |
| 57 |     | SS-6090620-SP   | SCREW 9/64-40 L=6             | 4   |
| 58 |     | 118-28605       | DIFFERENTIAL FEED ROCKER      | 1   |
| 59 |     | SS-6661110-SP   | SCREW 1/4-40 L=11             | 1   |
| 60 |     | B1645-704-000-A | BUSHING                       | 1   |
| 61 |     | RO-0601501-00   | RUBBER RING                   | 1   |
| 62 |     | 119-91502       | SPRING                        | 1   |
| 63 |     | 118-25858       | ROCKER SHAFT ASM.             | 1   |
| 64 |     | SL-4051231-SC   | SCREW M5 L=12                 | 2   |
| 65 |     | SS-4090515-SP   | SCREW 9/64-40 L=5             | 2   |
| 66 |     | 118-27102       | DIFFERENTIAL FEED GRADUATION  | 1   |
| 67 |     | SS-4080610-SP   | SCREW 1/8-44 L=6.4            | 1   |
| 68 | #04 | 118-28308       | SUPPORT THROAT PLATE          | 1   |

Note #01... FOR MOG-3704  
 #02... FOR MOG-3714  
 #03... FOR MOG-3716  
 #04... FOR MOG-3704, MOG-3714


## 7. CHAIN LOOPER COMPONENTS (FOR MOG-3716)



|    |     |                 |                                |     |
|----|-----|-----------------|--------------------------------|-----|
| 1  |     | B2103-816-0A0   | SLIDER ARM ASM.                | 1   |
| 2  |     | B2103-816-000-B | CHAIN LOOPER SHAFT SLIDE ARM   | (1) |
| 3  |     | SS-7110720-TP   | SCREW 11/64-40 L=7             | (1) |
| 4  |     | 118-29751       | CHAIN LOOPER SLIDE BLOCK PIN   | (1) |
| 5  |     | B2105-816-000   | CHAIN LOOPER SLIDE BLOCK       | (1) |
| 6  |     | B2102-816-000-A | CHAIN LOOPER ROD (22MM)        | 1   |
| 7  |     | SD-0720803-TH   | STEP-SCREW D=7.24 H=8          | 1   |
| 8  | #01 | B2119-816-B00   | BEARING B                      | 1   |
| 9  |     | 121-20465       | BRACKET ASM.                   | 1   |
| 10 |     | SM-6051202-TP   | SCREW M5X0.8 L=12              | (1) |
| 11 |     | B2111-716-000   | BUSHING, REAR                  | 1   |
| 12 |     | 118-29207       | CHAIN LOOPER SHAFT             | 1   |
| 13 |     | 123-74104       | CHAIN LOOPER SHAFT DRIVING ARM | 1   |
| 14 |     | SM-6051202-TP   | SCREW M5X0.8 L=12              | (1) |
| 15 |     | SM-8050402-TP   | SCREW                          | 1   |
| 16 |     | 123-84400       | CHAIN LOOPER                   | 1   |
| 17 | #01 | 122-58505       | PIN                            | 1   |
| 18 |     | 123-74203       | CHAIN LOOPER SHAFT DRV.LINK    | 1   |
| 19 |     | SS-9110430-TP   | SCREW 11/64-40 L=4             | 1   |
| 20 |     | 122-59008       | PIN                            | 1   |
| 21 |     | 123-74005       | DRIVING BALL ARM BRACKET       | 1   |
| 22 |     | SM-8050602-TP   | SCREW M5 L=6                   | 1   |
| 23 |     | SM-8050402-TP   | SCREW                          | 1   |
| 24 |     | 121-22008       | BUSHING, FRONT                 | 1   |
| 25 |     | B2525-352-000   | OIL SEAL RING                  | 1   |
| 26 |     | 118-29363       | CHAIN LOOPER DRIVING ARM ASM.  | 1   |
| 27 |     | 118-29314       | CHAIN LOOPER DRIVING ARM       | (1) |
| 28 |     | PS-0200062-KH   | SPRING PIN 2X6                 | (1) |
| 29 |     | B2531-704-000   | WASHER                         | (1) |
| 30 |     | SS-9151210-TP   | SCREW 15/64-28 L=11.8          | (1) |
| 31 |     | SM-8050402-TP   | SCREW                          | 2   |

Note #01...SELECTING PART FOR FIT TOLERANCE


## 8. UPPER & LOWER LOOPER COMPONENTS



|    |     |               |                                |     |
|----|-----|---------------|--------------------------------|-----|
| 1  |     | 122-54009     | BUSHING REAR                   | 2   |
| 2  |     | CS-1031210-SH | THRUST COLLAR ASM. D=10.32 W=1 | 2   |
| 3  |     | SS-8660610-TP | SCREW 1/4-40 L=6               | (4) |
| 4  |     | 118-34702     | WASHING FRONT                  | 2   |
| 5  |     | 121-22404     | UPPER LOOPER SHAFT             | 1   |
| 6  |     | SH-6061200-SP | SCREW                          | 2   |
| 7  | #03 | CS-1031210-SH | THRUST COLLAR ASM. D=10.32 W=1 | 1   |
| 8  |     | SS-8660610-TP | SCREW 1/4-40 L=6               | (2) |
| 9  |     | 115-44400     | UPPER LOOPER GUIDE RETAINER    | 1   |
| 10 |     | 115-44517     | UPPER LOOPER GUIDE             | 1   |
| 11 | #04 | 115-44301     | UPPER LOOPER HOLDER            | 1   |
| 12 | #05 | 115-82103     | UPPER LOOPER HOLDER            | 1   |
| 13 |     | 120-04503     | UPPER LOOPER GUIDE FELT        | 1   |
| 14 |     | 121-23410     | LOWER LOOPER SHAFT             | 1   |
| 15 |     | SS-9090410-TP | SCREW                          | 1   |
| 16 |     | 120-04206     | UPPER LOOPER GUIDE COVER       | 1   |
| 17 | #04 | 123-83501     | UPPER LOOPER                   | 1   |
| 18 |     | SS-7060610-SP | SCREW 3/32-56 L= 5.5           | 2   |
| 19 |     | 118-33308     | UPPER LOOPER THREAD GUIDE      | 1   |
| 20 |     | SS-4090615-SP | SCREW 9/64-40 L=6              | 1   |
| 21 | #02 | B1422-804-A00 | PIN (A)                        | 1   |
| 22 | #01 | 123-83600     | UPPER LOOPER                   | 1   |
| 23 |     | CQ-2020000-00 | OIL WICK                       | 0.1 |
| 24 | #06 | 123-83501     | UPPER LOOPER                   | 1   |
| 25 | #04 | 123-75507     | LOOPER HOLDER ASM. A           | 1   |
| 26 |     | SS-9151210-TP | SCREW 15/64-28 L=11.8          | 1   |
| 27 |     | SS-9090610-TP | SCREW 9/64-40 L=5.5            | 1   |
| 28 | #05 | 115-82012     | UPPER LOOPER ARM               | 1   |
| 29 |     | SS-9151210-TP | SCREW 15/64-28 L=11.8          | 1   |
| 30 |     | SS-9090610-TP | SCREW 9/64-40 L=5.5            | 1   |
| 31 |     | 118-33506     | LOWER LOOPER THREAD TAKE-UP    | 1   |
| 32 |     | 121-24004     | THREAD TAKE-UP, RIGHT          | 1   |
| 33 |     | SS-7110840-SP | SCREW 11/64-40 L=7.8           | 1   |
| 34 |     | SS-6080410-SP | SCREW 1/8-44 L=4               | 1   |
| 35 |     | 118-31906     | PIN                            | 1   |
| 36 |     | 115-45100     | GAUGE                          | 1   |
| 37 |     | 121-24806     | LOWER LOOPER SUPPORT ARM.      | 1   |
| 38 |     | RO-0371801-00 | RUBBER RING                    | 1   |
| 39 |     | 121-23907     | THREAD GUIDE, RIGHT            | 1   |
| 40 |     | SS-3090610-SP | SCREW 9/64-40 L=6              | 1   |
| 41 |     | 121-23808     | LOOPER THREAD TAKE-UP COVER    | 1   |
| 42 |     | SH-4040655-SP | SCREW                          | 2   |
| 43 |     | 118-33407     | LOWER LOOPER THREAD GUIDE      | 1   |
| 44 |     | SS-3090610-SP | SCREW 9/64-40 L=6              | 1   |
| 45 |     | 121-23667     | OIL SHIELD ASM.                | 1   |
| 46 |     | B2508-704-000 | OIL SEAL                       | 1   |
| 47 |     | B2530-704-000 | UPPER LOOPER SHAFT RUBBER RING | 1   |
| 48 |     | SS-6090630-SP | SCREW 9/64-40 L=6              | 4   |
| 49 |     | 118-33100     | LOOPER THREAD GUIDE            | 1   |
| 50 |     | SS-7090850-SP | SCREW 9/64-40 L=8              | 1   |
| 51 |     | 118-90001     | TRAVELING NEEDLE GUARD         | 1   |
| 52 |     | SS-6060440-TP | SCREW 3/32-56 L=3.5            | 2   |
| 53 |     | 123-84202     | LOWER LOOPER                   | 1   |
| 54 |     | SS-6090620-TP | SCREW                          | 1   |
| 55 |     | 123-75705     | LOOPER THREAD TAKE-UP LEFT     | 1   |
| 56 |     | SS-7110840-SP | SCREW 11/64-40 L=7.8           | 1   |
| 57 |     | PS-0300062-KH | SPRING PIN 3X6                 | 1   |
| 58 |     | B2531-704-000 | WASHING                        | 1   |
| 59 |     | SS-9151210-TP | SCREW 15/64-28 L=11.8          | 1   |







Note #01....FOR MOG-3714  
 #02....SELECTING PART FOR FIT TOLERANCE  
 #03....FOR MOG-3704,MOG-3714  
 #04....FOR MOG-3704  
 #05....FOR MOG-3714,MOG-3716  
 #06....FOR MOG-3716

# 9. PRESSER FOOT COMPONENTS(1)



|    |               |                                |     |
|----|---------------|--------------------------------|-----|
| 1  | 121-15051     | FOOT LIFTING LEVER STAND ASM.  | 1   |
| 2  | 121-15002     | FOOT LIFTING LEVER STAND       | (1) |
| 3  | 121-15101     | PRESSER FOOT LIFTING LEVER     | (1) |
| 4  | 121-15200     | STOPPER                        | (1) |
| 5  | SS-7110510-SP | SCREW 11/64-40 L=6             | (2) |
| 6  | SD-0640241-SP | HINGE SCREW D= 6.35 H= 2.4     | (1) |
| 7  | PS-0300142-KH | SPRING PIN 0.3 X 14            | (1) |
| 8  | 121-15309     | SPRING                         | (1) |
| 9  | SS-6080340-SP | SCREW 1/8-44 L=2.9             | (1) |
| 10 | SS-4110715-SP | SCREW 11/64-40 L=7             | 2   |
| 11 | 121-14716     | PRESSER REGULATOR SCREW        | 1   |
| 12 | 121-15903     | PRESSER SPRING                 | 1   |
| 13 | 121-14807     | PRESSER REGULATOR NUT          | 1   |
| 14 | 121-14609     | PRESSER REGULATOR SCREW WASHER | 1   |
| 15 | SM-8040402-TP | SCREW M4X0.7 L=4               | 1   |
| 16 | RO-1100901-00 | RUBBER RING                    | 1   |
| 17 | 121-14906     | PRESSER BAR COVER              | 1   |
| 18 | RO-1100901-00 | RUBBER RING                    | 2   |
| 19 | 123-73007     | PRESSER BAR BUSHING            | 1   |
| 20 | 121-14468     | PRESSER BAR ASM.               | 1   |
| 21 | SS-8110510-SP | SCREW 11/64-40 L=5             | 1   |
| 22 | B1534-804-000 | PRESSER FOOT ARM HINGE SHAFT   | 1   |
| 23 | 121-13205     | PRESSER FOOT SHAFT             | 1   |
| 24 | 121-13304     | BUSHING                        | 1   |
| 25 | SS-6121510-SP | SCREW 3/16-28 L=15.0           | 1   |
| 26 | 118-19414     | LIFTING HOOK                   | 1   |
| 27 | SM-6061200-SP | SCREW                          | 1   |
| 28 | NM-6060003-SC | NUT M6                         | 1   |
| 29 | 118-19703     | PRESSER FOOT ARM SPRING        | 1   |
| 30 | 121-13502     | LIFTING ARM                    | 1   |
| 31 | SS-6110710-TP | SCREW 11/64-40 L= 6.5          | 1   |
| 32 | 121-13452     | PRESSER FOOT SHAFT THRUST ARM  | 1   |
| 33 | SS-9151210-TP | SCREW 15/64-28 L=11.8          | (1) |
| 34 | SS-7161040-SP | SCREW 1/4-24 L= 9.5            | 1   |
| 35 | 118-19315     | LIFTING LEVER                  | 1   |
| 36 | 118-19109     | LIFTING LEVER SCREW            | 1   |
| 37 | 118-19208     | LIFTING LEVER SPRING           | 1   |
| 38 | NS-6110420-SP | NUT 11/64-40                   | 1   |
| 39 | SS-7111410-SP | SCREW 11/64-40 L=14            | 1   |
| 40 | B1529-804-000 | PRESSER FOOT LIFTING LEVER STO | 1   |

# 10 PRESSER FOOT COMPONENTS(2)









| REF NO | NOTE | PART NO         | DESCRIPTION             | Qty |
|--------|------|-----------------|-------------------------|-----|
| 1      | #01  | 121-14112       | PRESSER FOOT ARM        | 1   |
| 2      | #02  | 122-53811       | PRESSER FOOT ARM        | 1   |
| 3      | #03  | 123-81059       | PRESSER FOOT COMPL.     | 1   |
| 4      |      | 116-80600       | STITCH TONGUE           | (1) |
| 5      |      | 116-51304       | PRESSER FOOT HINGE      | (1) |
| 6      |      | 116-80501       | PRESSER FOOT            | (1) |
| 7      |      | B1508-804-000   | SPRING                  | (1) |
| 8      |      | 116-80709       | REAR PRESSER FOOT       | (1) |
| 9      |      | SS-6060340-SP   | SCREW 3/32-56 L= 2.5    | (1) |
| 10     |      | SS-6090650-SP   | SCREW 9/64-40 L=6       | (1) |
| 11     |      | SS-7080520-SP   | SCREW 1/8-44 L=4.9      | (1) |
| 12     | #03  | 115-22802       | FINGER GUARD            | 1   |
| 13     | #04  | 123-81158       | PRESSER FOOT COMPL      | 1   |
| 14     |      | 116-51304       | PRESSER FOOT HINGE      | (1) |
| 15     |      | 117-00101       | STITCH TONGUE           | (1) |
| 16     |      | 120-10807       | PRESSER FOOT            | (1) |
| 17     |      | B1508-804-000   | SPRING                  | (1) |
| 18     |      | B1510-814-000   | CURL GUARD              | (1) |
| 19     |      | B1511-814-000   | REAR PRESSER FOOT       | (1) |
| 20     |      | SS-6060210-SP   | SCREW 3/32-56 L= 1.9    | (1) |
| 21     |      | SS-6060440-TP   | SCREW 3/32-56 L=3.5     | (1) |
| 22     |      | SS-6090650-SP   | SCREW 9/64-40 L=6       | (1) |
| 23     |      | SS-7080520-SP   | SCREW 1/8-44 L=4.9      | (1) |
| 24     | #04  | 115-22802       | FINGER GUARD            | 1   |
| 25     | #02  | 123-81257       | PRESSER FOOT COMPL.     | 1   |
| 26     |      | 121-57319       | HINGE ARM               | (1) |
| 27     |      | 123-81208       | PRESSER FOOT, FRONT     | (1) |
| 28     |      | 123-81307       | PRESSER FOOT, REAR      | (1) |
| 29     |      | 121-68407       | PRESSER FOOT HINGE      | (1) |
| 30     |      | 121-68506       | PRESSER FOOT ARM SPRING | (1) |
| 31     |      | 123-81406       | CLOTH PRESSER           | (1) |
| 32     |      | 119-30708       | PRESSER FOOT HINGE PIN  | (3) |
| 33     |      | B1514-816-000   | SCREW                   | (1) |
| 34     |      | SS-6090650-SP   | SCREW 9/64-40 L=6       | (1) |
| 35     |      | SS-6060340-SP   | SCREW 3/32-56 L= 2.5    | (1) |
| 36     | #02  | 121-60800       | STOPPER                 | 1   |
| 37     |      | B1528-804-000-A | THREAD TRIMMER          | 1   |
| 38     |      | SS-7060510-SP   | SCREW 3/32-56 L=4.8     | 1   |
| 39     |      | WP-0350516-SD   | WASHER 3.5X6X0.5        | 1   |
| 40     |      | SS-7080520-SP   | SCREW 1/8-44 L=4.9      | 1   |
| 41     | #02  | 121-68803       | FINGER GUARD            | 1   |

Note #01....FOR MOG-3704,MOG-3714  
 #02....FOR MOG-3716  
 #03....FOR MOG-3704  
 #04....FOR MOG-3714


# MOG-3700 SERIES No.2

## 11. THREAD TENSION COMPONENTS



|    |               |                                |     |
|----|---------------|--------------------------------|-----|
| 1  | SM-4050855-SP | SCREW                          | 1   |
| 2  | B3113-352-000 | MOUNTING BRACKET               | 1   |
| 3  | B2401-816-000 | COOPER THREAD GUIDE TUBE       | 1   |
| 4  | B2402-716-000 | COOPER THREAD GUIDE TUBE GUIDE | 1   |
| 5  | SS-5150510-SP | SCREW 11/64-28 L=5             | 1   |
| 6  | 115-50852     | TENSION CONTROLLER ASM.        | 1   |
| 7  | B2314-019-000 | TENSION POST NUT               | (1) |
| 8  | B3120-125-000 | ROTATING STOPPER               | (1) |
| 9  | B2017-372-000 | TENSION SPRING NO.1            | (1) |
| 10 | B3126-012-000 | THREAD TENSION DISK            | (2) |
| 11 | B3120-352-000 | THREAD TENSION SPRING FELT     | (1) |
| 12 | 115-50803     | THREAD TENSION POST            | (1) |
| 13 | 115-50308     | THREAD GUIDE                   | (1) |
| 14 | 121-20903     | THREAD GUIDE A                 | 1   |
| 15 | SS-4090415-SP | SCREW 9/64-40 L=4              | 3   |
| 16 | 121-21000     | THREAD GUIDE B                 | 1   |
| 17 | 121-20804     | THREAD GUIDE BASE              | 1   |
| 18 | 121-21109     | THREAD GUIDE HOOK              | 1   |
| 19 | SD-0600341-TP | HINGE SCREW D=6.0 H=3.4        | 1   |
| 20 | PS-0200052-KH | SPRING PIN 2.3X5               | 1   |
| 21 | B2201-816-000 | THREAD CAM                     | 1   |
| 22 | B2202-816-000 | SHAFT                          | 1   |
| 23 | SS-8110410-TP | SCREW 11/64-40 L= 3.5          | 2   |
| 24 | 121-21208     | THREAD GUIDE                   | 1   |
| 25 | SS-4110515-SP | SCREW 11/64-40 L=5             | 1   |
| 26 | 121-21307     | THREAD GUIDE SPRING            | 1   |
| 27 | WZ-0640312-K0 | WAVED WASHER                   | 1   |
| 28 | SS-4090415-SP | SCREW 9/64-40 L=4              | 1   |
| 29 | 122-54405     | CENTER THREAD GUIDE            | 1   |
| 30 | SS-4110715-SP | SCREW 11/64-40 L=7             | 2   |
| 31 | 122-54850     | THREAD TENSION SPRING COMPL.   | 1   |
| 32 | 119-56901     | THREAD TENSION KNOB, YELLOW    | (1) |
| 33 | B3112-704-000 | TENSION SPRING BUSHING         | (1) |
| 34 | B3102-804-000 | TENSION SPRING, YELLOW         | (1) |
| 35 | 119-57305     | TENSION DISC PRESSER           | (1) |
| 36 | B3120-704-000 | THREAD TENSION SPRING FELT     | (1) |
| 37 | 122-54504     | THREAD TENSION DISK            | (2) |
| 38 | 122-54603     | THREAD TENSION RUBBER          | (1) |
| 39 | B3105-804-000 | TENSION POST                   | (1) |
| 40 | 122-54751     | THREAD TENSION SPRING JUNCTION | 1   |
| 41 | 119-56703     | THREAD TENSION PICK-UP (RED)   | (1) |
| 42 | B3112-704-000 | TENSION SPRING BUSHING         | (1) |
| 43 | B3101-804-000 | TENSION SPRING, RED            | (1) |
| 44 | 119-57305     | TENSION DISC PRESSER           | (1) |
| 45 | B3120-704-000 | THREAD TENSION SPRING FELT     | (1) |
| 46 | 122-54504     | THREAD TENSION DISK            | (2) |
| 47 | 122-54603     | THREAD TENSION RUBBER          | (1) |
| 48 | B3105-804-000 | TENSION POST                   | (1) |
| 49 | 123-76554     | TENSION SPRING (PURPLE)        | 1   |
| 50 | 119-57107     | THREAD TENSION KNOB, PURPLE    | (1) |
| 51 | B3112-704-000 | TENSION SPRING BUSHING         | (1) |
| 52 | 115-50100     | TENSION SPRING, PURPLE         | (1) |
| 53 | 119-57305     | TENSION DISC PRESSER           | (1) |
| 54 | B3120-704-000 | THREAD TENSION SPRING FELT     | (1) |
| 55 | 122-54504     | THREAD TENSION DISK            | (2) |
| 56 | 122-54603     | THREAD TENSION RUBBER          | (1) |
| 57 | B3105-804-000 | TENSION POST                   | (1) |
| 58 | 122-55451     | THREAD TENSION SPRING ASM.     | 1   |
| 59 | 119-57206     | THREAD TENSION KNOB, GREEN     | (1) |
| 60 | B3112-704-000 | TENSION SPRING BUSHING         | (1) |
| 61 | 115-50209     | TENSION SPRING, GREEN          | (1) |
| 62 | 119-57305     | TENSION DISC PRESSER           | (1) |
| 63 | B3120-704-000 | THREAD TENSION SPRING FELT     | 1   |
| 64 | 122-54504     | THREAD TENSION DISK            | (2) |
| 65 | 122-54603     | THREAD TENSION RUBBER          | (1) |
| 66 | B3105-804-000 | TENSION POST                   | (1) |
| 67 | B3108-704-000 | THREAD GUIDE                   | 1   |
| 68 | SS-7110710-SL | SCREW 11/64-40 L=7.0           | 1   |


## 12. UPPER KNIFE COMPONENTS



| REF. NO | NOTE | PART NO.      | DESCRIPTION               | QTY |
|---------|------|---------------|---------------------------|-----|
| 1       | #02  | 118-23804     | CRANK PIN C               | 1   |
| 2       |      | 121-32262     | FEED FORKED ARM ASM.      | 1   |
| 3       |      | SM-6061202-TP | SCREW M6 L=12             | (1) |
| 4       |      | 121-32502     | BUSHING, REAR             | 1   |
| 5       |      | CS-111101E-SH | COLLAR ASM. D=11.11 W=10  | 1   |
| 6       |      | SS-8660330-SP | SCREW 1/4-40 L= 3.0       | (2) |
| 7       |      | 121-32304     | KNIFE DRIVING ARM SHAFT   | 1   |
| 8       | #06  | SS-4060310-SP | SCREW 3/32-56 L=2.5       | 1   |
| 9       |      | 115-65801     | UPPER KNIFE GUIDE SHAFT   | 1   |
| 10      |      | 115-66809     | OIL SEAL                  | 1   |
| 11      |      | 121-32403     | BUSHING, FRONT            | 1   |
| 12      | #02  | SS-6111040-SP | SCREW 11/64-40 L= 9.5     | 1   |
| 13      | #02  | 121-33302     | UPPER KNIFE SUPPORT A     | 1   |
| 14      | #10  | 118-45609     | KNIFE                     | 1   |
| 15      | #07  | SS-9090813-TP | SCREW 9/64-40 L=8         | 1   |
| 16      | #07  | WP-0370316-SD | WASHER 3.7X8X0.3          | 1   |
| 17      | #11  | 120-04909     | KNIFE                     | 1   |
| 18      | #03  | 120-04800     | UPPER KNIFE SUPPORT       | 1   |
| 19      | #03  | SS-6111610-SP | SCREW 11/64-40 L=16       | 1   |
| 20      | #04  | 115-98000     | UPPER KNIFE SUPPORT       | 1   |
| 21      | #09  | 115-65900     | UPPER KNIFE               | 1   |
| 22      | #08  | B4111-804-00E | UPPER KNIFE               | 1   |
| 23      | #06  | 115-65702     | WASHER                    | 1   |
| 24      | #06  | SS-4060310-SP | SCREW 3/32-56 L=2.5       | 1   |
| 25      | #06  | 115-65504     | UPPER KNIFE PRESSER PLATE | 1   |
| 26      | #09  | 115-65603     | UPPER KNIFE COVER         | 1   |
| 27      | #04  | SS-9111610-SP | SCREW 11/64-40 L=16       | 1   |
| 28      | #05  | 115-65405     | UPPER KNIFE SUPPORT       | 1   |
| 29      | #05  | SS-9112420-TP | SCREW 11/64-40 L=24       | 1   |
| 30      | #05  | SS-7092110-TP | SCREW 9/64-40 L=21        | 1   |
| 31      | #05  | NS-6090310-SP | NUT 9/64-40               | 1   |

Note #01....SELECTING PART FOR FIT TOLERANCE  
 #02....FOR MOG-3704,MOG-3714 -  
 (FOR DOMESTIC USE)  
 #03....FOR MOG-3716(FOR DOMESTIC USE)  
 #04....FOR MOG-3704,MOG-3714(FOR EXPORT)  
 #05....FOR MOG-3716(FOR EXPORT)  
 #06....FOR EXPORT  
 #07....FOR DOMESTIC USE  
 #08....FOR MOG-3714(FOR EXPORT)  
 #09....FOR MOG-3704,MOG-3716(FOR EXPORT)  
 #10....FOR MOG-3714(FOR DOMESTIC USE)  
 #11....FOR MOG-3704,MOG-3716  
 (FOR DOMESTIC USE)


13. LOWER KNIFE COMPONENTS



|    |     |               |                              |     |
|----|-----|---------------|------------------------------|-----|
| 1  |     | SS-2110910-SL | SCREW 11/64-40 L=9           | 2   |
| 2  | #01 | R4300-JOM-LOO | THROAT PLATE                 | 1   |
| 3  |     | 118-06304     | PLUG                         | 2   |
| 4  | #02 | R4306-JOH-JOO | THROAT PLATE                 | 1   |
| 5  |     | 118-06304     | PLUG                         | 2   |
| 6  | #03 | R4612-JOH-LOO | THROAT PLATE (FH6-700)       | 1   |
| 7  |     | 118-06304     | PLUG                         | 2   |
| 8  |     | 118-04408     | THROAT PLATE BASE B RETAINER | 1   |
| 9  |     | SM-4051055-SP | SCREW                        | 2   |
| 10 | #01 | 123-77552     | LOWER KNIFE BRACKET ASM.     | 1   |
| 11 | #02 | 123-77560     | LOWER KNIFE BRACKET ASM.     | 1   |
| 12 | #03 | 123-77578     | LOWER KNIFE BRACKET ASM.     | 1   |
| 13 |     | 121-33211     | SPRING STOPPER               | (1) |
| 14 |     | 118-06304     | PLUG                         | (1) |
| 15 |     | SS-7110720-SP | SCREW 11/64-40 L=7           | (1) |
| 16 |     | 118-46607     | SPRING                       | (1) |
| 17 |     | 121-32619     | LOWER KNIFE BRACKET          | (1) |
| 18 |     | 121-02208     | THROAT PLATE BASE A          | (1) |
| 19 |     | SS-6110610-TP | SCREW 11/64-40 L=6           | (2) |
| 20 |     | 121-03701     | RUBBER PLUG B                | (1) |
| 21 |     | 121-03602     | RUBBER PLUG A                | (1) |
| 22 | #04 | 121-32700     | LOWER KNIFE SLIDE STUD       | (1) |
| 23 |     | SS-9111010-SP | SCREW 11/64-40 L=9.5         | (1) |
| 24 |     | 123-77602     | LOWER KNIFE PRESSER          | (1) |
| 25 |     | 123-78204     | LEVEL SHAFT                  | (1) |
| 26 | #04 | 123-77701     | ROTATING STOPPER             | (1) |
| 27 |     | SS-7090710-SP | SCREW 9/64-40 L= 6.8         | (2) |
| 28 | #03 | 123-77800     | LOWER KNIFE SLIDE STUD       | (1) |
| 29 | #03 | 123-77909     | ROTATING STOPPER             | (1) |
| 30 |     | 121-33708     | HOLDER PIN                   | (3) |
| 31 |     | SS-7151120-SP | SCREW 15/64-28 L=11          | (1) |
| 32 |     | 121-02950     | LEVEL ASM.                   | (1) |
| 33 |     | 121-03107     | RUBBER PLUG                  | (1) |
| 34 |     | 123-78006     | LEVEL SPRING                 | (1) |
| 35 |     | WP-0621036-SP | WASHER                       | 1   |
| 36 |     | 118-48603     | THROAT PLATE BASE B          | 1   |
| 37 |     | 115-66502     | LOWER KNIFE                  | 1   |
| 38 |     | SS-6151440-SP | SCREW 15/64-28 L=14          | 2   |
| 39 |     | 118-47100     | NEEDLE GUARD HOLDER          | 1   |
| 40 | #01 | 118-90100     | NEEDLE GUARD                 | 1   |
| 41 |     | SS-7110840-SP | SCREW 11/64-40 L=7.8         | 1   |
| 42 |     | SS-7090610-SP | SCREW 9/64-40 L=6            | 1   |
| 43 | #02 | 118-90308     | NEEDLE GUARD                 | 1   |
| 44 | #03 | 120-15301     | NEEDLE HOLDER                | 1   |
| 45 | #03 | 120-15400     | NEEDLE HOLDER                | 1   |
| 46 | #03 | SS-7060510-SP | SCREW 3/32-56 L=4.8          | 2   |
| 47 | #03 | 123-84509     | NEEDLE HOLDER                | 1   |
| 48 | #03 | SS-7090510-SP | SCREW 9/64-40 L= 4.6         | 1   |
| 49 |     | SS-6110610-TP | SCREW 11/64-40 L=6           | 2   |
| 50 |     | 118-04606     | RUBBER PLUG                  | 1   |

Note #01....FOR MOG-3704  
 #02....FOR MOG-3714  
 #03....FOR MOG-3716  
 #04....FOR MOG-3704, MOG 3711


# 14. LUBRICATION MECHANISM COMPONENTS



|    |               |                             |     |
|----|---------------|-----------------------------|-----|
| 1  | 122-55550     | OIL PUMP ASM.               | 1   |
| 2  | 122-55501     | OIL PUMP                    | (1) |
| 3  | 118-40303     | OIL PUMP PINION             | (1) |
| 4  | 118-40402     | GEAR PUMP SHAFT             | (1) |
| 5  | 122-55600     | COVER                       | (1) |
| 6  | 118-41707     | WORM GEAR                   | (1) |
| 7  | 118-41855     | OIL PUMP SHAFT LARGE ASM.   | (1) |
| 8  | SS-8110410-TP | SCREW 11/64-40 L= 3.5       | (2) |
| 9  | SS-6090810-SP | SCREW 9/64-40 L= 7.5        | (2) |
| 10 | SQ-1150453-MZ | CONNECTING SCREW            | (1) |
| 11 | SQ-1150451-MZ | CONNECTING SCREW            | (1) |
| 12 | 122-55709     | PUMP NET                    | (1) |
| 13 | 122-55808     | PUMP NET SUPPORT            | (1) |
| 14 | 122-56004     | OIL TUBE HOLDER             | 4   |
| 15 | SQ-0000451-MZ | CONNECTING SCREW            | 1   |
| 16 | SQ-1150441-SD | CONNECTING SCREW            | 1   |
| 17 | 118-40600     | WORM                        | 1   |
| 18 | SM-6061802-TP | SCREW M6 L=18               | 2   |
| 19 | WP-0651056-SH | WASHER 6.5X11X1             | 2   |
| 20 | 121-30100     | OIL GAUGE                   | 1   |
| 21 | 121-30209     | RUBBER PACKING              | 1   |
| 22 | SM-4050855-SP | SCREW                       | 2   |
| 23 | 122-55907     | OILING EXIT SUPPORT         | 1   |
| 24 | NS-6110310-SP | NUT 11/64-40                | 1   |
| 25 | SQ-1110451-MZ | CONNECTING SCREW            | 1   |
| 26 | 121-29854     | FLOAT ASM.                  | 1   |
| 27 | 121-29904     | OIL GAUGE BAR               | (1) |
| 28 | 121-30001     | FLOAT SUPPORT               | (1) |
| 29 | 121-29805     | FLOAT                       | (1) |
| 30 | SM-4060801-SE | SCREW                       | 1   |
| 31 | 114-04704     | OIL WICK                    | 0.1 |
| 32 | SM-8050402-TP | SCREW                       | 1   |
| 33 | 121-30308     | OILING PIN                  | 1   |
| 34 | 121-30407     | OIL FELT                    | 1   |
| 35 | TA-0400301-MO | PLUG D=4X4.5 L=3            | 1   |
| 36 | #01 118-41608 | UPPER LOOPER GUIDE OIL FELT | 1   |
| 37 | #02 120-04404 | UPPER LOOPER GUIDE OIL FELT | 1   |
| 38 | 118-34603     | OIL SUPPLY BUSH             | 1   |
| 39 | 122-52706     | OIL SUPPLY FELT             | 0.1 |
| 40 | BP-3000002-00 | VINYL PIPE                  | 0.2 |
| 41 | BP-3000002-00 | VINYL PIPE                  | 0.3 |

Note #01....FOR MOG-3714, MOG-3716  
#02....FOR MOG-3704

# 15. SEMI-SUNKEN TYPE TABLE COMPONENTS



|    |     |               |                                  |     |
|----|-----|---------------|----------------------------------|-----|
| 1  |     | 119-59400     | TABLE (SEMI-SUNKEN)              | 1   |
| 2  | #01 | 119-66702     | BOLT A                           | 4   |
| 3  | #02 | 115-71601     | BOLT A                           | 4   |
| 4  |     | 119-60150     | CLOTH WASTE CHUTE ASM. (BENCH)   | 1   |
| 5  |     | 119-60101     | CLOTH WASTE CHUTE, UPPER (BENCH) | (1) |
| 6  |     | 119-60002     | CLOTH WASTE CHUTE, LOWER (BENCH) | (1) |
| 7  |     | SK-2351600-SG | WOOD SCREW D=3.5 L=16            | 3   |
| 8  |     | SS-6090630-SP | SCREW 9/64-40 L=6                | 5   |
| 9  | #03 | SS-5110710-SP | SCREW 11/64-40 L=7               | 2   |
| 10 | #03 | SK-2351600-SC | WOOD SCREW D=3.5 L=16            | 3   |
| 11 |     | 118-50815     | CASE SPONGE                      | 1   |
| 12 |     | 118-49411     | COOLING FAN CASE                 | 1   |
| 13 |     | 115-71403     | RUBBER CUSHION                   | 4   |
| 14 |     | 118-49601     | SPACER                           | 4   |
| 15 |     | 118-49361     | FRAME SUPPORT PLATE ASM.         | 1   |
| 16 |     | WP-1102016-SC | WASHER 11X21X2                   | 4   |
| 17 |     | WS-1002560-KR | SPRING WASHER 10X18X2.5          | 4   |
| 18 |     | NS-6240630-SM | NUT 3/8-18                       | 4   |
| 19 |     | 111-55108     | DRAWER                           | 1   |
| 20 |     | 111-55207     | DRAWER SUPPORT                   | 2   |
| 21 |     | SK-3311500-SC | WOOD SCREW D=3.1 L=15            | 6   |
| 22 |     | D8204-555-D00 | DRAWER STOPPER                   | 1   |
| 23 | #03 | 121-35554     | CLOTH WASTE CHUTE ASM.           | 1   |
| 24 |     | 121-35505     | CLOTH WASTE CHUTE SUPPORT        | (1) |
| 25 |     | 119-62800     | CLOTH WASTE CHUTE INLET          | (1) |
| 26 |     | 119-62909     | CLOTH WASTE CHUTE, UPPER         | (1) |
| 27 |     | SS-5090610-SP | SCREW 9/64-40 L=6                | (3) |
| 28 |     | NS-6090310-SP | NUT 9/64-40                      | (3) |
| 29 | #03 | 119-60002     | CLOTH WASTE CHUTE, LOWER (BENCH) | 1   |


Note #01....FOR DOMESTIC USE

#02....FOR EXPORT

#03....FOR JE

# MOG-3700 SERIES No.2

## 16. FULLY-SUNKEN TYPE TABLE COMPONENTS




R

|    |     |               |                                  |     |
|----|-----|---------------|----------------------------------|-----|
| 1  |     | 119-59558     | TABLE ASM.                       |     |
| 2  |     | 115-71809     | BOLT C                           |     |
| 3  |     | 115-71908     | BOLT D                           |     |
| 4  |     | WP-1102016-SC | WASHER 11X21X2                   | (2) |
| 5  |     | WS-1002560-KR | SPRING WASHER 10X18X2.5          | 4   |
| 6  |     | NS-6240630-SN | NUT 3/8-18                       | 12  |
| 7  |     | 115-71403     | RUBBER CUSHION                   | 4   |
| 8  |     | 118-49379     | FRAME SUPPORT PLATE ASM.         | 1   |
| 9  |     | 118-49361     | FRAME SUPPORT PLATE ASM.         | (1) |
| 10 |     | 118-50906     | FRAME SUPPORT AUXILIARY PLATE    | (1) |
| 11 |     | SM-9082513-CF | SCREW M8 L=25                    | (4) |
| 12 |     | NH-6080600-SM | NUT M8                           | (4) |
| 13 |     | WP-0850002-SC | WASHER 8.5X18X1.6                | (4) |
| 14 |     | 119-60259     | CLOTH CHUTE ASM.                 | 1   |
| 15 |     | 119-60200     | CLOTH WASTE CHUTE                | (1) |
| 16 |     | ST-6030821-OA | SCREW D=3-24 L=8                 | (2) |
| 17 |     | 118-50401     | CLOTH WASTE CHUTE INLET LEVER    | (1) |
| 18 |     | 119-60309     | CLOTH WASTE CHUTE HOLE           | (1) |
| 19 |     | SS-6090420-SP | SCREW 9/64-40 L= 4.0             | (2) |
| 20 |     | 118-50609     | RUBBER                           | (1) |
| 21 |     | 118-50500     | SPRING                           | (1) |
| 22 |     | WP-0370316-SD | WASHER 3.7X8X0.3                 | (1) |
| 23 |     | ST-6030821-OA | SCREW D=3-24 L=8                 | (1) |
| 24 |     | SS-5110710-SP | SCREW 11/64-40 L=7               | 2   |
| 25 |     | 118-49411     | COOLING FAN CASE                 | 1   |
| 26 |     | 118-50815     | CASE SPONGE                      | 1   |
| 27 | #01 | SS-5110710-SP | SCREW 11/64-40 L=7               | 2   |
| 28 | #01 | SK-2351600-SC | WOOD SCREW D=3.5 L=16            | 3   |
| 29 |     | SS-6090630-SP | SCREW 9/64-40 L=6                | 5   |
| 30 |     | 111-55108     | DRAWER                           | 1   |
| 31 |     | 111-55207     | DRAWER SUPPORT                   | 2   |
| 32 |     | SK-3311500-SC | WOOD SCREW D=3.1 L=15            | 6   |
| 33 |     | D8204-555-D00 | DRAWER STOPPER                   | 1   |
| 34 | #01 | 121-35554     | CLOTH WASTE CHUTE ASM.           | 1   |
| 35 |     | 121-35505     | CLOTH WASTE CHUTE SUPPORT        | (1) |
| 36 |     | 119-62800     | CLOTH WASTE CHUTE INLET          | (1) |
| 37 |     | 119-62909     | CLOTH WASTE CHUTE, UPPER         | (1) |
| 38 |     | SS-5090610-SP | SCREW 9/64-40 L=6                | (3) |
| 39 |     | NS-6090310-SP | NUT 9/64-40                      | (3) |
| 40 | #01 | 119-60002     | CLOTH WASTE CHUTE, LOWER (BENCH) | 1   |

Note #01....FOR JE

# 17. THREAD STAND COMPONENTS



(FOR MOG-3704,MOG-3714)



|    |                 |                             |     |
|----|-----------------|-----------------------------|-----|
| 1  | 119-69458       | THREAD STANDING DEVICE ASM. |     |
| 2  | 111-85352       | THREAD GUIDE ASM.           | (2) |
| 3  | 111-85402       | THREAD GUIDE ARM JOINT      | (4) |
| 4  | NM-6050001-SE   | NUT M5                      | (4) |
| 5  | B3311-704-000   | SPOOL REST ROD CAP          | (1) |
| 6  | 111-85204       | SPOOL REST ROD, UPPER       | (1) |
| 7  | B3305-704-000-A | SPOOL REST ROD JOINT        | (1) |
| 8  | SM-4051405-SE   | SCREW M5 L=14               | (2) |
| 9  | NM-6050001-SE   | NUT M5                      | (2) |
| 10 | B3309-704-0A0   | THREAD GUIDE ARM ASM.       | (1) |
| 11 | B3311-804-000   | LOWER THREAD GUIDE          | (1) |
| 12 | SS-7110540-SP   | SCREW 11/64-40 L=5          | (1) |
| 13 | B3309-704-000   | THREAD GUIDE ARM            | (1) |
| 14 | B3304-704-000-A | THREAD GUIDE ARM HOLDER     | (1) |
| 15 | SM-6053000-SE   | SCREW M5X0.8 L=30           | (1) |
| 16 | NM-6050001-SE   | NUT M5                      | (1) |
| 17 | 111-85105       | SPOOL REST ROD, LOWER       | (1) |
| 18 | 111-85501       | SPOOL RETAINER              | (4) |
| 19 | B3320-704-L00-A | SPOOL PIN                   | (4) |
| 20 | B3311-012-000   | SPOOL REST CUSHION          | (4) |
| 21 | 111-85006       | SPOOL REST ARM              | (2) |
| 22 | NM-6050001-SE   | NUT M5                      | (4) |
| 23 | B3317-704-000   | NUT                         | (1) |
| 24 | WP-1612616-SE   | WASHER 16X30X2.6            | (2) |
| 25 | MA0-11532000    | CORD STAPLE                 | (3) |
| 26 | SM-4051405-SE   | SCREW M5 L=14               | (4) |
| 27 | #01 119-69953   | THREAD STANDING DEVICE ASM. | 1   |
| 28 | SK-3382001-SE   | SCREW D=3.8 L=20            | (2) |
| 29 | B3318-704-L00-A | THREAD GUIDE ARM JOINT      | (4) |
| 30 | SM-6061610-SC   | SCREW M6 L=16               | (4) |
| 31 | B3311-704-000   | SPOOL REST ROD CAP          | (1) |
| 32 | 119-69573       | SPOOL REST ARM A ASM.       | (2) |
| 33 | B3319-704-L00   | THREAD GUIDE                | (4) |
| 34 | 111-85204       | SPOOL REST ROD, UPPER       | (1) |
| 35 | B3305-704-000-A | SPOOL REST ROD JOINT        | (1) |
| 36 | NM-6050001-SE   | NUT M5                      | (2) |
| 37 | SM-4051405-SE   | SCREW M5 L=14               | (2) |
| 38 | B3309-704-0A0   | THREAD GUIDE ARM ASM.       | (2) |
| 39 | B3311-804-000   | LOWER THREAD GUIDE          | (1) |
| 40 | SS-7110540-SP   | SCREW 11/64-40 L=5          | (1) |
| 41 | B3309-704-000   | THREAD GUIDE ARM            | (1) |
| 42 | B3304-704-000-A | THREAD GUIDE ARM HOLDER     | (1) |
| 43 | SM-6053000-SE   | SCREW M5X0.8 L=30           | (1) |
| 44 | NM-6050001-SE   | NUT M5                      | (2) |
| 45 | 111-85105       | SPOOL REST ROD, LOWER       | (1) |
| 46 | 111-85501       | SPOOL RETAINER              | (4) |
| 47 | B3320-704-L00-A | SPOOL PIN                   | (4) |
| 48 | B3311-012-000   | SPOOL REST CUSHION          | (4) |
| 49 | 119-66504       | SPOOL REST                  | (4) |
| 50 | NM-6050001-SE   | NUT M5                      | (4) |
| 51 | 119-69508       | SPOOL REST ARM A            | (2) |
| 52 | B3317-704-000   | NUT                         | (1) |
| 53 | WP-1612616-SE   | WASHER 16X30X2.6            | (2) |
| 54 | B3321-704-L00   | SPOOL REST ARM SUPPORT, A   | (1) |
| 55 | SM-4061201-SE   | SCREW M6 L=12               | (2) |
| 56 | NM-6060001-SE   | NUT M6                      | (2) |
| 57 | MA0-11532000    | CORD STAPLE                 | (3) |
| 58 | B3321-704-L0B   | SPOOL REST ARM SUPPORT, B   | (1) |

Note #01....SPECIAL ORDER PART FOR LARGE  
SPOOL THREAD STAND (FOR JE)

# 18. THREAD STAND COMPONENTS(FOR MOG-3716)



|    |                 |                             |     |
|----|-----------------|-----------------------------|-----|
| 1  | 120-77850       | THR AD STAND ASM.           |     |
| 2  | B3321-704-LOB   | SPOOL REST ARM SUPPORT, B   | (1) |
| 3  | 119-69508       | SPOOL REST ARM A            | (1) |
| 4  | B3319-704-L00   | THREAD GUIDE                | (1) |
| 5  | B3311-704-000   | SPOOL REST ROD CAP          | (5) |
| 6  | B3318-704-L00-A | THREAD GUIDE ARM JOINT      | (1) |
| 7  | SM-6061610-SC   | SCREW M6 L=16               | (4) |
| 8  | B3309-704-0A0   | THREAD GUIDE ARM ASM.       | (4) |
| 9  | SM-6053000-SE   | SCREW M5X0.8 L=30           | (1) |
| 10 | B3304-704-000-A | THREAD GUIDE ARM HOLDER     | (1) |
| 11 | NH-6050001-SE   | NUT M5                      | (1) |
| 12 | B3309-704-000   | THR AD GUIDE ARM            | (1) |
| 13 | B3311-804-000   | LOWR THREAD GUIDE           | (1) |
| 14 | SS-7110540-SP   | SCREW 11/64-40 L=5          | (1) |
| 15 | 111-85204       | SPOOL REST ROD, UPPER       | (1) |
| 16 | NH-6050001-SE   | NUT M5                      | (1) |
| 17 | B3305-704-000-A | SPOOL REST ROD JOINT        | (2) |
| 18 | SM-4051405-SE   | SCREW M5 L=14               | (1) |
| 19 | 111-85105       | SPOOL REST ROD, LOWER       | (2) |
| 20 | 111-85501       | SPOOL RETAINER              | (1) |
| 21 | B3320-704-L00-A | SPOOL PIN                   | (5) |
| 22 | B3311-012-000   | SPOOL REST CUSHION          | (5) |
| 23 | 119-66504       | SPOOL REST                  | (5) |
| 24 | NH-6050001-SE   | NUT M5                      | (5) |
| 25 | NH-6060001-SE   | NUT M6                      | (5) |
| 26 | SK-3382001-SE   | SCREW D=3.8 L=20            | (2) |
| 27 | SM-4061201-SE   | SCREW M6 L=12               | (2) |
| 28 | B3321-704-L00   | SPOOL REST ARM SUPPORT, A   | (2) |
| 29 | B3317-704-000   | NUT                         | (1) |
| 30 | WP-1612616-SE   | WASHER 16X30X2.6            | (1) |
| 31 | MA0-11532000    | CORD STAPLE                 | (2) |
| 32 | #01 119-70050   | THREAD STANDING DEVICE ASM. | (3) |
| 33 | B3321-704-LOB   | SPOOL REST ARM SUPPORT, B   | 1   |
| 34 | MA0-11532000    | CORD STAPLE                 | (1) |
| 35 | SK-3382001-SE   | SCREW D=3.8 L=20            | (3) |
| 36 | 119-69474       | THRE D GUIDE ARM B ASM.     | (2) |
| 37 | B3319-704-L00   | THREAD GUIDE                | (1) |
| 38 | 119-69573       | SPOOL REST ARM A ASM.       | (1) |
| 39 | B3319-704-L00   | THREAD GUIDE                | (2) |
| 40 | 119-69409       | THREAD GUIDE ARM B          | (4) |
| 41 | 119-69508       | SPOOL REST ARM A            | (1) |
| 42 | B3318-704-L00-A | THREAD GUIDE ARM JOINT      | (2) |
| 43 | SM-6061610-SC   | SCREW M6 L=16               | (6) |
| 44 | B3311-704-000   | SPOOL REST ROD CAP          | (6) |
| 45 | 111-85204       | SPOOL REST ROD, UPPER       | (1) |
| 46 | B3305-704-000-A | SPOOL REST ROD JOINT        | (1) |
| 47 | NH-6050001-SE   | NUT M5                      | (1) |
| 48 | SM-4051405-SE   | SCREW M5 L=14               | (2) |
| 49 | B3309-704-0A0   | THREAD GUIDE ARM ASM.       | (2) |
| 50 | B3311-804-000   | LOWR THREAD GUIDE           | (1) |
| 51 | SS-7110540-SP   | SCREW 11/64-40 L=5          | (1) |
| 52 | B3309-704-000   | THREAD GUIDE ARM            | (1) |
| 53 | B3304-704-000-A | THREAD GUIDE ARM HOLDER     | (1) |
| 54 | SM-6053000-SE   | SCREW M5X0.8 L=30           | (1) |
| 55 | NH-6050001-SE   | NUT M5                      | (1) |
| 56 | 111-85105       | SPOOL REST ROD, LOWER       | (1) |
| 57 | 111-85501       | SPOOL RETAINER              | (1) |
| 58 | B3320-704-L00-A | SPOOL PIN                   | (5) |
| 59 | B3311-012-000   | SPOOL REST CUSHION          | (5) |
| 60 | 119-66504       | SPOOL REST                  | (5) |
| 61 | NH-6050001-SE   | NUT M5                      | (5) |
| 62 | B3317-704-000   | NUT                         | (5) |
| 63 | WP-1612616-SE   | WASHER 16X30X2.6            | (1) |
| 64 | B3321-704-L00   | SPOOL REST ARM SUPPORT, A   | (2) |
| 65 | SM-4061201-SE   | SCREW M6 L=12               | (1) |
| 66 | NH-6060001-SE   | NUT M6                      | (2) |

Note: #01... SPECIAL ORDER PART FOR LARGE  
SPOOL TH READ STAND (FOR JF)