

PEGASUS®

INDUSTRIAL

SEWING MACHINE

PARTS LIST

MODEL


U32-30

REVISED EDITION

改 訂 版

U32-01(02)	U32-42(43)
U32-03(04)	U32-44(45)
U32-05(06)	U32-46(47)
U32-07(08)	U32-48(49)
U32-09(10)	U32-50(51)
U32-11(12)	U32-52(53)
U32-13(14)	U32-54(55)
U32-15(16)	U32-56(57)
U32-17(18)	U32-70(71)
U32-19(20)	U32-72(73)
U32-21(22)	U32-74(75)
U32-30(32)	U32-76(77)
U32-31(33)	U32-78(79)
U32-34(35)	U32-80(81)
U32-36(37)	U32-82(83)
U32-38(39)	U32-84(85)
U32-40(41)	U31-86(87)

**HIGH SPEED
2 STRAIGHT NEEDLES
5 THREADS (4 THREADS)
SAFETY-STITCH
MACHINES**



MODEL U32-30

**MIMA SEWING MACHINE CO., LTD.
PEGASUS SEWING MACHINE MFG. CO., LTD.**

OSAKA — JAPAN — TOKYO

IN ORDERING PARTS

This list has been arranged to simplify ordering repair parts for U32 series machines on the basis of model U32-30.

Various sections of the mechanisms are shown on each page. On the page opposite the illustration will be found a listing of the parts with their reference numbers, parts numbers, name and the number of pieces required.

A part whose number is marked with an asterisk, e.g. *204348, Page 13, is not recommended for the individual replacement, so complete assembly or sub-assembly should be ordered.

Please note that this list does not contain the organization parts for all models, whose numbers are marked with two asterisks, e.g. **204877, Ref. 20, Page 13. For the reference to them, use the list of first edition issued July, 1971 on the pages 34 to 45 so that the part numbers of relating other organization parts for repair or conversion may be obtained.

At the back of this list will be found a numerical index of all the parts shown in this list. This will facilitate locating the illustration and descriptions when only the part number is known.

In ordering parts from this list, USE ONLY the PART NUMBER in the second column. Reference number should never be used in ordering parts.

This Part List applies to the machines manufactured in April, 1973

CONTENTS

MACHINE ARM-BED
(1) MAIN FRAME AND MISCELLANEOUS COVERS
(2) MAIN FRAME AND MISCELLANEOUS COVERS
CRANKSHAFT MECHANISM
(1) NEEDLE DRIVE MECHANISM
(2) NEEDLE DRIVE MECHANISM
RIGHT LOOPER DRIVE MECHANISM
LEFT LOOPER DRIVE MECHANISM
(1) DOUBLE CHAINSTITCH LOOPER DRIVE MECHANISM
(2) DOUBLE CHAINSTITCH LOOPER DRIVE MECHANISM
(1) MAIN AND DIFFERENTIAL FEED MECHANISM
(2) MAIN AND DIFFERENTIAL FEED MECHANISM
UPPER AND LOWER KNIFE MECHANISM
PRESSER FOOT AND LIFT MECHANISM
(1) PUMP LUBRICATING MECHANISM
(2) PUMP LUBRICATING MECHANISM

Not shown. See first edition.

ILLUSTRATION OF ORGANIZATION PARTS
LIST OF ORGANIZATION PARTS
CORD AND PIPING FOOT.....
ATTACHMENTS.....
PARTS FOR NEEDLE AND THREAD LUBRICATOR
ACCESSORIES FOR SEMI-SUBMERGED INSTALLATION
ACCESSORIES

パーツ・リストご利用に際して

本パーツ・リストは、U32シリーズミシンの修理用部品を容易にご利用いただけるよう編集されています。

機構別に各頁に収録され、部品図解頁の反対頁には参照番号、部品番号、名称、使用数量の順で記載されています。

部品番号の左に*印の付された部品は、複数の部品が組合された部品の一部で個々に販売はしていません。ご購入の際はこれらの部品が組合された部品をご注文下さい。(例：13頁*204348針株・*204840針棒軸が組合されて、参照番号20、部品番号204877針棒(組)となっています。)

**印の付された部品はゲージ・パーツです。ゲージ・パーツは初版パーツ・リストの34頁～37頁に図解を、38頁～45頁に機種別、ゲージ別に該当ゲージ・パーツの一覧表を記載していますので、この一覧表を参照して下さい。(例：13頁 参照番号20、部品番号* *204877針棒)

本パーツ・リストの34頁～35頁には部品番号索引表を付し、部品番号のみでその図解、名称などが容易に引き出せます。

本パーツ・リストに基き部品ご注文の際は、参照番号は絶対に使用されず、部品番号のみを明示して下さい。

本パーツ・リストは1973年4月現在製造中のミシンを基に作成されています。

本パーツ・リストは初版パーツ・リスト(1971年7月発行)の改訂版であります。初版パーツ・リストと併せてご使用下さい。

目次	PAGE
アーム・ベッド機構.....	2 ～ 3
カバー・外装機構(1).....	4 ～ 5
カバー・外装機構(2).....	6 ～ 7
主軸機構.....	8 ～ 9
針棒機構(1).....	10 ～ 11
針棒機構(2).....	12 ～ 13
右ルーパー機構.....	14 ～ 15
左ルーパー機構.....	16 ～ 17
二重環ルーパー機構(1).....	18 ～ 19
二重環ルーパー機構(2).....	20 ～ 21
送り機構(1).....	22 ～ 23
送り機構(2).....	24 ～ 25
上・下メス機構.....	26 ～ 27
押エ機構.....	28 ～ 29
給油機構(1).....	30 ～ 31
給油機構(2).....	32 ～ 33

以下は初版パーツリストを参照して下さい。


ゲージ・パーツ(図)
ゲージ・パーツ表
パイピング用押エ
アタッチメント
H・R装置専用パーツ
半沈床式据付付属品
付属品



MACHINE ARM-BED

アーム・ヘッド機構


Ref. No.	Parts No.	Name	名 称	Qt.
参照番号	部品番号			数量
1	204000B	Machine bed frame	ベッド	1
2	5332	“ “ “ oil hole plug screw (with head)	“ 油穴蓋ネジ (頭付)	1
3	2022	“ “ “ “ “ “ screw	“ “ “ (頭無)	3
4	204622A	“ arm (right)	アーム (A)	1
5	204251	“ “ “ oil seal gasket	“ “ “ パッキン	1
6	5078	“ “ “ screw	“ “ 止ネジ	4
7	201002	“ “ “ hinge pin	“ “ ノックピン	2
8	204850	“ arm (left)	アーム (B)	1
9	5237	“ “ “ screw (long)	“ “ 止ネジ (長)	1
10	5163	“ “ “ screw (short)	“ “ “ (短)	2
11	201002	“ “ “ hinge pin	“ “ ノックピン	2
12	204277	“ “ “ oil shield	“ “ 油除ケ	1
13	204849	“ “ “ dust shield	“ “ ゴミ除ケ	1
14	204003	Oil sight gauge	オイルゲージ	1
15	205088	Dead hole plug	二重環ルーパー前後シャフト左軸受蓋	1
16	204004	“ “ “ plug	加工穴蓋	1
17	204828	“ “ “ plug	“ (上メス台用)	1
18	5179	“ “ “ screw (small)	加工穴蓋ネジ (小)	1
19	201006	“ “ “ “ “ “ washer	“ “ “ パッキン	1
20	5313	“ “ “ screw (large)	“ “ “ (大)	1
21	204448	“ “ “ “ “ “ washer	“ “ “ パッキン	1
22	5332	Screw driver hole plug screw	ドライバー穴蓋ネジ	1
23	200138	“ “ “ “ “ “ washer	“ “ “ パッキン	1
24	204006	Machine bed bottom pin	ベッド足ピン	4
25	204229	Model plate	形式板	1
26	204794A	Machine bed oil filter	ベッドフィルター	1



(1) MAIN FRAME AND MISCELLANEOUS COVERS

カバー外装機構(1)


Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	204842	Bed cover plate (left), complete with 204843, 204844, 204794A & 204795	ベッド上蓋(左)(組)204843, 204844, 204794A, 204795ノ組	1
	* 204843	" " " (left)	" "	1
	* 204844	" " " " oil splash window	" " オイル窓	1
	* 204794A	" " " " filter	" " フィルター	1
	* 204795	" " " " oil shield	" " 油除ケ	1
2	204851	" " " " gasket	" " (組) パッキン	1
3	4009-1	" " " " screw	" " 止ネジ	7
4	5138B	Oil filler plug screw	注油口蓋ネジ	1
5	202287A	" " " " washer	" パッキン	1
6	204208	Bed cover plate (right)	ベッド上蓋 (右)	1
7	204209	" " " " gasket	" " パッキン	1
8	5117	" " " " screw (with round head)	" " 止ネジ (丸頭)	5
9	2193	" " " " screw (with hex. head)	" " " (六角頭)	1
10	204210A	Machine arm (right) cover plate	アーム上蓋	1
11	204211	" " " " " gasket	" パッキン	1
12	5117	" " " " " screw	" 止ネジ	10
13	204212A	" " bed bottom cover	ベッド底蓋	1
14	204213A	" " " " " plate	" 止板	1
15	5117	" " " " " screw	" " 止ネジ	8
16	204215	Cloth plate, complete with 204216, 204217, 1457x2 204247 & 204219	大カバー (組) 204216, 204217, 1457×2 204247, 204219ノ組	1
	* 204216	" " plate	"	1
	* 204217	" " hinge stud	" 取付軸	1
	1457	" " " " " screw	" " 止ネジ	2
	* 204247	" " " " " joint	" " 継手	1
	* 204219	" " lock spring bracket	" 止バネ取付台	1
17	202576	" " hinge stud thrust washer	" 取付軸スラストワッシャー	1
18	201139	" " " " " collar	" " スラストカラー	1
19	5084	" " " " " " screw	" " " 止ネジ	2
20	204218	" " lock spring	" 止バネ	1
21	1216	" " " " " screw	" " 止ネジ	2
22	200162	" " " " " " washer	" " " 座金	1
23	5232	" " " " " latch	" " 止ピン	1
24	5002	" " stop screw	" ストップネジ	1
25	3044	" " " " " nut	" " ナット	1
26	204325	Face plate, complete with 204326x2	面板 204326×2トノ組	1
	* 204326	" " plate left needle thread guide wire	二重環針糸掛	2
27	4009-1	" " " screw	面板止ネジ	3



(2) MAIN FRAME AND MISCELLANEOUS COVERS

カバー外装機構(2)


Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	204848	Cloth plate fabric guard	衣除ケ	1
2	4009-1	" " " " screw	〃 止ネジ	2
3	204222	Needle bar cover	針棒カバー	1
4	202653	" " " hinge pin	〃 ヒンジピン	2
5	202689	" " " lock spring	〃 止バネ (A)	1
6	1234	" " " " " screw	〃 〃 〃 止ネジ	2
7	204223	" " " " " latch	〃 〃 (B)	1
8	4009-1	" " " " " " screw	〃 〃 〃 止ネジ	1
9	201428	" " " name plate	〃 銘板	1
10	204224	Top cover	上カバー	1
11	5094	" " screw (long)	〃 止ネジ (長)	1
12	5095	" " " (medium)	〃 〃 (中)	1
13	5117	" " " (short)	〃 〃 (短)	2
14	204225	Front cover, complete with 204226, 204227, 5025x2 & 204228	前カバー (組) 204226, 204227, 5025×2, 204228 トノ組	1
15	* 204226	" cover hinge	〃 ヒンジ	1
16	1216	" " " screw (short)	〃 〃 止ネジ	3
17	* 204227	" " " pin	〃 〃 ピン	1
18	5025	" " " " screw	〃 〃 〃 止ネジ	2
19	* 204228	" " " spring	〃 押シバネ	1
20	5094	" " " screw (long)	〃 押シネジ	1
21	5137	" " " " " nut	〃 〃 ナット	1
22	204852	" " guide plate	〃 調節板	1
23	5136	" " " " screw	〃 〃 止ネジ	2
24	204650A	Oil cooler cover	冷却器カバー	1
25	5094	" " " screw	〃 止ネジ	3
26	204799	Right looper lever oil shield, complete with 204800, 204801 & 204802	右ルーバー台油除ケ (組) 204800, 204801 204802 ノ組	1
	* 204800	" " " oil shield	〃	1
	* 204801	" " " " " felt (large)	〃 スポンジ (大)	1
	* 204802	" " " " " felt (small)	〃 〃 (小)	1
27	5147	" " " " " screw	〃 (組) 止ネジ	1
28	204242	Cloth plate rubber plug (large)	大カバー当ゴム (A)	1
29	5022	" " " " " screw	〃 〃 止ネジ	3
30	204243	" " " " plug (small)	〃 (B)	1
31	201048A	Right needle thread eyelet	針糸道 (上)	1
32	201072A	" looper thread tube	右ルーバー糸道パイプ (大)	1
33	201048A-1	" " " " eyelet	〃 (小)	1
34	201072A	Left looper thread tube	左ルーバー糸道パイプ (大)	1
35	201048A-1	" " " " eyelet	〃 (小)	1
36	201048A	Double chainstitch looper thread eyelet	二重環ルーバー上糸道	2
37	204649	Stitch indicator	縫目数指針	1
38	204871	" " rivet	〃 止ピン	2
39	204646	Front cover spacer	前カバー当金 (H. R装置ナシ用)	1



CRANKSHAFT MECHANISM

主 軸 機 構


Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	204733	Crankshaft	クランクシャフト	1
2	5223	" oil plug screw	" 油穴蓋ネジ	1
3	202081	" " wick	" 給油フェルト	1
4	204010	" ball bearing (left)	玉軸受 (左)	1
5	204881	" " " " housing	" " ハウジング	1
6	5136	" " " " " screw	" " " 止ネジ	4
7	204319	" " " " " gasket	" " " パッキン	1
8	204734	" " " " " retaining ring	" " 止輪	1
9	204873	" extension	二重環系調節器シャフト	1
10	204520	" " washer	" 座金	1
11	204014	Crankshaft bushing	大ブッシュ	1
12	2022	" " screw	" 止ネジ	1
13	204016	" bushing (center), complete with 1174x2	中間ブッシュ 1174×2 トノ組	1
14	1174	" bushing (center) assembly screw	" 組立ネジ	2
15	5240	" " " screw	" 止ネジ	1
16	201523A	" ball bearing (center)	玉軸受 (右) A	1
17	204018	" " " " washer	" " 止バネ	4
18	204019A	" " " " spacer	" " 中間リング	1
19	204020A	" " bearing (right)	" " B	1
20	204021	" " " " plate	" " 止板	1
21	204022	" " " " " gasket	" " " " パッキン	1
22	5117	" " " " " screw	" " " 止ネジ	4
23	5238	" " " " " screw	" " 止ネジ	1
24	204023	" " " " " washer	" " 座金	1
25	204024	" oil seal collar	クランクシャフト油切	1
26	201022	" " " " " "O" ring	" " 用Oリング	2
27	204025	Machine pulley	プーリー	1
28	5080	" " position screw	" 止ネジ (先有)	1
29	5081	" " screw	" " (先無)	1
30	204026	" " collar	" 用カラー	1
31	5267	" " " " " screw	" " 案内ネジ	1
32	204658	" " " " " cap (for 2:1 differential feed ratio)	" 蓋 (差動比 2 対 1 用)	1
33	204648	" " " " " cap (for 3:1 differential feed ratio)	" " (差動比 3 対 1 用)	1
34	5010	" " " " " cap screw	" 止ネジ	3
35	204028	" " " " " name plate	" 銘板	1
36	5214	" " " " " " screw	" " " 止ネジ	1



(1) NEEDLE DRIVE MECHANISM

針 棒 機 構 (1)


Ref. No.	Parts No.	Name	名 称	Qt. 数量
1	KE28 204029	Needle bar connection	針棒ロッド	1
2	5233	" " " cap screw	" 蓋止ネジ	2
3	KE30 202711A	" " " pin	" ピン	1
4	5234	" " " screw	" 止ネジ	1
5	201360A	" " drive crank (right)	針棒後クランク	1
6	5087	" " " " " clamp screw	" 抱締ネジ	1
7	5181	" " " " " nut	" ナット	1
8	204031	" " " shaft	針棒クランク軸	1
9	204032	" " " bushing (left)	" 前軸受	1
10	204033A	" " " bushing (right)	" 後軸受	1
11	201117	" " " thrust collar	" スラストカラー	1
12	5084	" " " " " screw	" 止ネジ	2
13	204276	" " " thread guide	針糸道 (A)	1
14	204046	" " " wire	" (B)	1
15	4009-1	" " " " " screw	" 止ネジ	1
16	204783	" " guard bracket, complete with 204065	針受 (A)(B) 取付台 204657 トノ組	1
17	5061	" " " bracket screw (large)	" " " " 止ネジ (大)	1
18	5227	" " " " " screw (small)	" " " " " (小)	1
19	* 204657	Right looper thread tube (left)	右ルーバー糸道パイプ	1
20	* * 204781	Needle guard (rear), for right needle	針受 (A)	1
21	5012	" " guard (rear) screw	" " 止ネジ	1
22	* * 204782	" " guard (front), for right needle	" (B)	2
23	5029	" " guard (front) screw	" 止ネジ	1
24	* * 204536	" " guard (front), for left needle (2mm gauge)	" (C) 針巾 2mm用	1
	* * 204042	" " guard (front), for left needle (3&5mm gauge)	" " 3mm・5mm用	1
25	5227	" " guard (front) screw	" " 止ネジ	1
26	* * 204521	" " guard (rear), for left needle (2mm gauge)	" (D) 針巾 2mm用	1
	* * 204522	" " guard (rear), for left needle (3 & 5mm gauge)	" " 3mm・5mm用	1
27	1206	" " guard (rear) screw	" 止ネジ	1



(2) NEEDLE DRIVE MECHANISM

針 棒 機 構 (2)


Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	202607	Needle bar drive crank (left)	針棒前クランク	1
2	2022-4	" " " " " screw (with head)	" 止ネジ (頭付)	1
3	2022	" " " " " screw	" " (頭無)	1
4	204628	" " connecting link	針棒リンク	2
5	202609	" " " " " bushing	" プッシュ	2
6	5154	" " " " " screw	" " 抱締ネジ	2
7	5099	" " " " " nut	" " ナット	2
8	202610	" " " " " bracket	針棒抱キ	1
9	1170-3	" " " " " screw	" 抱締ネジ	1
10	202611	" " " " " bearing	ニードルベアリング	2
11	202705	" " thread retainer bracket	小調子台	1
12	5359	" " " " " screw	" 止ネジ	1
13	202495	" " " " " guide spacer	" 当金	1
14	200041	" " " " " guide	" 皿	1
15	200205	" " " " " spring	" バネ	1
16	9070-2	" " " " " screw	" " 止ネジ	1
17	202706A	" " " " " take-up	針糸調節器	1
18	5299	" " " " " screw	" 止ネジ	2
19	204235	" " " " " guide wire	針糸道 (C)	1
20	* * 204877	" " bar (2mm gauge), complete with 204348 & 204840	針棒 (組) 針巾 2mm用204348, 204840ノ組	1
	* 204348	" " clamp	針株	1
	* * 204878	" " bar (3mm gauge), complete with 204037A, & 204840	針棒 (組) " 3mm用204037A, 204840ノ組	1
	* 204037A	" " clamp	針株	1
	* * 204879	" " bar (5mm gauge), complete with 204430 & 204840	針棒 (組) " 5mm用204430, 204840ノ組	1
	* 204430	" " clamp	針株	1
	* 204840	" " bar	針棒軸 (全針棒 (組) 共通)	1
21	5292	" " clamp screw	針止ネジ	2
22	204625	" " bar bushing (upper)	針棒プッシュ (上)	1
23	1457	" " " " " screw	" " 止ネジ	1
24	204627	" " " " " bushing (lower)	" (下)	1
25	1457	" " " " " screw	" " 止ネジ	1
26	202176	" " " " " bushing oil wick	" 給油紐	1
27	204626	" " " " " clamp	" 押エ	1
28	201436	" " " " " tube	" 給油パイプ	1
29	201437	" " " " " clamp	" 止バネ	1
30	5113	" " " " " " " screw	" " " 止ネジ	1
31	202615	" " " " " cap	針棒キャップ	1
32	1457	" " " " " screw	" 止ネジ	1
33	202478	" " thread tension, complete with 201035A, 202278, 201037, 201039, 201482x2 & 5082A	針糸調子 (組) 201035A, 202278, 201037, 201039, 201482x2, 5082Aノ組	2
34	201035A	" " thread tension nut	" ナット	2
35	202278	" " " " " spring bushing	" " 止パイプ	2
36	201037	" " " " " spring (heavy)	" バネ (強)	2
37	201039	" " " " " spring cup	" 受皿	2
38	201482	" " " " " disc	" 皿	4
39	5082A	" " " " " post	" 棒	2
40	202849	" " " " " guide	" 台	2
	202479	" " " " " tension, complete with 201035A, 202278, 201068, 201039, 201482x2 & 5082A for 2-thread overlock stitch	針糸調子 (組) (2本糸オーバーロック用) 201035A, 202278, 201068, 201039, 201482x2, 5082Aノ組	1
41	201068	Needle thread tension spring(light)	針糸調子バネ (弱)	1
42	204045	Top cover thread guide bar	糸道棒	1
43	5185	" " " " " " " screw	" 止ネジ	1
44	* * 204039B	Needle plate	針板	1
45	1732	" " " " " screw	" 止ネジ	2
46	DCx1	Needle (right hand)	針 (オーバーロック)	1
47	DMx13	Needle (left hand)	" (二重環)	1



RIGHT LOOPER DRIVE MECHANISM

右ルーパー機構


Ref. No. 参照番号	Parts No. 部品番号	Name	名称	Qt. 数量
1	204047	Right looper drive connection	右ルーパーロッド	
2	2213-1	" " " " " "	" " " " " "	
3	1170-1	" " " " " "	" " " " " "	
4	201074A	" " " " " "	" " " " " "	
5	1156	" " " " " "	" " " " " "	
6	202286	" " " " " "	" " " " " "	
7	204048A	" " " " " "	" " " " " "	
8	2022-4	" " " " " "	" " " " " "	
9	204069A	" " " " " "	" " " " " "	
10	204311	" " " " " "	" " " " " "	
11	2193	" " " " " "	" " " " " "	
12	202286	" " " " " "	" " " " " "	
13	204050A	" " " " " "	" " " " " "	
14	204052A	" " " " " "	" " " " " "	
15	204081	" " " " " "	" " " " " "	
16	204437	" " " " " "	" " " " " "	
17	* 204438	" " " " " "	" " " " " "	
18	204055A	" " " " " "	" " " " " "	
19	5239	" " " " " "	" " " " " "	
20	5286	" " " " " "	" " " " " "	
21	202045	" " " " " "	" " " " " "	
22	202711A	" " " " " "	" " " " " "	
23	5084	" " " " " "	" " " " " "	
24	204057A	" " " " " "	" " " " " "	
25	204732	" " " " " "	" " " " " "	
26	204273	" " " " " "	" " " " " "	
27	204274	" " " " " "	" " " " " "	
28	1457-1	" " " " " "	" " " " " "	
	204854	" " " " " "	" " " " " "	
29	204059	" " " " " "	" " " " " "	
30	5084	" " " " " "	" " " " " "	
31	204060	" " " " " "	" " " " " "	
32	204004	" " " " " "	" " " " " "	
33	1175-2	" " " " " "	" " " " " "	
34	204061	" " " " " "	" " " " " "	
35	* * 204062	" " " " " "	" " " " " "	
36	5220	" " " " " "	" " " " " "	
37	202480	" " " " " "	" " " " " "	
38	201035A	" " " " " "	" " " " " "	
39	202278	" " " " " "	" " " " " "	
40	201086	" " " " " "	" " " " " "	
41	201039	" " " " " "	" " " " " "	
42	201482	" " " " " "	" " " " " "	
43	5082A	" " " " " "	" " " " " "	
44	202849	" " " " " "	" " " " " "	
45	204063A	" " " " " "	" " " " " "	
46	2902	" " " " " "	" " " " " "	
47	204905	" " " " " "	" " " " " "	
48	2905	" " " " " "	" " " " " "	
49	204902	" " " " " "	" " " " " "	
50	2921	" " " " " "	" " " " " "	
51	202875	" " " " " "	" " " " " "	



LEFT LOOPER DRIVE MECHANISM

左 ル ー パ ー 機 構


Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	204047	Left looper drive connection	左ルーパードット	1
2	2213-1	cap screw (large)	〃 蓋止ネジ (大)	2
3	1170-1	screw (small)	〃 〃 (小)	2
4	201074A	guide	〃 振り止メ	1
5	1156	screw	〃 〃 止ネジ	1
6	202286	washer	〃 〃 〃 バネ座金	1
7	204048A	crank	左ルーパークランク	1
8	2022-4	screw	〃 止ネジ	2
9	204789	thrust washer	〃 スラストワッシャー	1
10	204069A	lever shaft	左ルーパー台軸	1
11	204311	thrust washer	〃 スラストワッシャー	1
12	2193	screw	〃 〃 止ネジ	1
13	202286	washer	〃 〃 〃 バネ座金	1
14	204054	bushing	〃 軸受	2
15	204052A	oil seal	〃 〃 オイルシール	1
16	204071	lever	左ルーパー台	1
17	5284	clamp screw	〃 抱締ネジ	1
18	204293	washer	〃 〃 バネ座金	1
19	* * 204072	looper	左ルーパー	1
20	1175-3	screw	〃 止ネジ	1
21	202479	thread tension, complete with 201035A, 202278, 201068, 201039, 201482x2 & 5082A (for 3-thread overlock stitch)	左ルーパー糸調子(組)(3 本糸オーバーロック用) 201035A, 202278, 201068, 201039, 201482×2, 5082Aノ組	1
	202480	thread tension, complete with 201035A, 202278, 201068, 201039, 201482x2 & 5082A (for 2-thread overlock stitch)	左ルーパー糸調子(組)(2 本糸オーバーロック用) 201035A, 202278, 201086, 201039, 201482×2, 5082Aノ組	1
22	201035A	thread tension nut	左ルーパー糸調子ナット	1
23	202278	spring bushing	〃 〃 止パイプ	1
24	201068	spring (weak) (for 3-thread overlock stitch)	〃 バネ (弱)(3 本糸用)	1
25	201086	thread tension spring (middle) (for 3-thread overlock stitch)	〃 〃 (中)(2 本糸用)	1
26	201039	thread tension spring cup	〃 〃 受皿	1
27	201482	disc	〃 皿	2
28	5082A	post	〃 棒	1
29	202849	guide	〃 台	1
30	204901	take-up	左ルーパー糸サバキ	1
31	2902	screw	〃 止ネジ	1
32	193174	guide wire	左ルーパー糸道 (A)	1



(1) DOUBLE CHAINSTITCH LOOPER DRIVE MECHANISM

二重環ルーパー機構(1)


Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	204075	Looper drive connection	二重環ルーパー振りロッド	1
2	5233	" " " cap screw (large)	" " 止ネジ (大)	2
3	1170-1	" " " " screw (small)	" " (小)	2
4	201074A	" " " guide	" 振り止メ	1
5	1156	" " " " screw	" 止ネジ	1
6	202286	" " " " " washer	" " " バネ座金	1
7	204076	" " crank	二重環ルーパー振りクランク	1
8	2022-4	" " " screw	" 止ネジ	2
9	204079	" " shaft	二重環ルーパー振りシャフト	1
10	204080	" " " bushing (front)	" 前軸受	1
11	204052A	" " " " " oil seal	" " オイルシール	1
12	204081	" " " bushing (rear)	" 後軸受	1
13	204090	" avoiding link	二重環ルーパー前後リンク	1
14	2022	" " " screw	" 止ネジ	2
15	204091	" " " thrust washer	二重環ルーパー前後スラストワッシャー	2
16	204092	" " " collar	二重環ルーパー前後カラー	1
17	5084	" " " " screw	" 止ネジ	2
18	204233	" " " spring	二重環ルーパー前後バネ	2
19	2193	" " " " screw	" 調節ネジ	1
20	201185	" " " " " washer	" " ワッシャー	1
21	204093	" lever	二重環ルーパー台	1
22	5284	" " clamp screw	" 抱締ネジ	1
23	204293	" " " " " washer	" " バネ座金	1
24	* * 204314A	Looper, for 2mm & 3mm needle gauge	二重環ルーパー (針巾 2 mm, 3 mm用)	1
	* * 204431	Looper, for 5mm needle gauge	" (" 5 mm用)	1
25	1189	Looper screw	" 止ネジ	1
26	204172	" regulator	" 調節金	1
27	1333	" " screw	" 止ネジ	1
28	204077	" drive eccentric, complete with 204078	二重環ルーパー振りエキセン(組)204078トノ組	1
	* 204078	" " eccentric pin	" ピン	1
29	2022	" " " screw	" 止ネジ	2



(2) DOUBLE CHAINSTITCH LOOPER DRIVE MECHANISM

二重環ルーパー機構(2)


Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	204082A	Looper avoiding connection	二重環ルーパー前後ロッド	1
2	204519	" " " pin	" " " ピン	1
3	204520	" " " " washer	" " " 座金	1
4	3044	" " " " nut	" " " 止ナット	1
5	204115	" " " " " washer	" " " 座金	1
6	202286	" " " " " spring washer	" " " バネ座金	1
7	5333	" " " regulating screw	二重環ルーパー前後量調節ネジ	1
8	204518	" " " " plate	" " " 止板	1
9	2922	" " " " " screw	" " " 止ネジ	2
10	204084	" " " " needle bearing	ニードルベアリング	1
11	204517	" " " crank	二重環ルーパー前後クランク	1
12	5219	" " " " clamp screw	" " " 抱締ネジ	1
13	204874	" " " shaft	二重環ルーパー前後シャフト	1
14	204875	" " " " bushing (left)	" " " 左軸受	1
15	204089	" " " " bushing (right)	" " " 右軸受	1
16	201056	" " " " thrust collar	" " " スラストカラー	2
17	5084	" " " " " screw	" " " 止ネジ	4
18	204087	" " " " eccentric collar	二重環ルーパー前後エキセンカラー	1
19	5224	" " " " " screw	" " " 止ネジ	3
20	3056	" " " thread tension nut	二重環ルーパー糸調子ナット	1
21	167077	" " " " spring	" " " バネ	1
22	201482	" " " " disc	" " " 皿	2
23	167072	" " " " post	" " " 棒	1
24	202849	" " " " guide	" " " 台	1
25	204095A	" " " take-up	二重環ルーパー糸調節器	1
26	5292	" " " " screw	" " " 止ネジ	2
27	204096	" " " " guide	二重環ルーパー糸サバキ	1
28	204097A	" " " " guide bracket	二重環ルーパー糸調節台	1
29	4009-1	" " " " " screw (long)	" " " 止ネジ (長)	1
30	5113	" " " " " screw (short)	" " " (短)	1
31	204324	" " " take-up eyelet	" " " 糸道	2
32	5077	" " " " " screw	" " " 止ネジ	2
33	204098	" " " " guide	二重環ルーパー糸道	1
34	5113	" " " " screw	" " " 止ネジ	1
35	204099	" " " tube	二重環ルーパー糸道パイプ	1
36	1457	" " " " screw	" " " 止ネジ	1



(1) MAIN AND DIFFERENTIAL FEED MECHANISM

送 り 機 構 (1)


Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	204100	Feed drive connection	送りロッド	1
2	202711A	" " " pin	" " ピン	1
3	5084	" " " " screw	" " " 止ネジ	1
4	204084	" " " needle bearing	ニードルベアリング	1
5	204085	" " " crank	送りクランク	1
6	5219	" " " clamp screw	" " 抱締ネジ	1
7	204352	" & looper eccentric, complete with 204101A, 204353, 204354×2, 204355, 204356, 1196 & 204086B	両エキセン(組)204101A, 204353, 204354×2, 204355, 204356, 1196, 204086Bノ組	1
8	5312	" & looper eccentric screw	" " 止ネジ	2
9	* 204101A	" eccentric	送りエキセン	1
10	* 204353	" " liner	" " ライナー	1
11	* 204354	" " " pin	" " " 押シピン	2
12	* 204355	" " " spring plate (large)	" " " 押バネ (大)	1
13	* 204356	" " " " plate (small)	" " " (小)	1
14	1196	" " " " plate screw	" " " 止ネジ	1
15	* 204086B	Double chainstitch looper eccentric	二重環ルーパー前後エキセン	1
16	1216	Feed eccentric stop screw, except for shirring machines	送りエキセンストップネジ (一般用)	1
17	1459	" " oil plug, for shirring machines only	" " 油栓 (ヒダ取専用)	2
18	204102A	" " regulator	" " 調節器	1
19	204357	" " latch spring	" " " 止バネ	1
20	204134A	" " push rod, complete with 204682 & 204463A	送りエキセン調節押ボタン(組)204682, 204463Aトノ組	1
21	2133-1	" " " rod screw	" " " 止ネジ	1
	* 204463A	" " " push rod	" " " 軸	1
	* 204682	" " " " pipe	" " " バイブ	1
22	204135	" " " " spring	" " (組) バネ	1
23	202522	" " " " retaining ring	" " " 抜取リング	1
24	204185	" " " " "O" ring	" " " Oリング	1
25	204752	Differential feed shaft	差動調節軸	1
26	204753	" " " " bushing	" " ブッシュ	1
27	204052A	" " " " oil seal	" " オイルシール	1
28	204754	" " " " thrust collar	" " スラストカラー	1
29	5084	" " " " " screw	" " " 止ネジ	2
30	204139A	" " " " arm	差動調節杆	1
31	5219	" " " " " screw	" " 抱締ネジ	1
32	204140A	" " " " link	差動調節リンク	1
33	5316	" " " " screw, complete with 204498	" " 段ネジ 204498トノ組	2
34	* 204498	" " " " screw retaining ring	" " " 止輪	2
35	204755	" " " " regulating lever (rear)	差動調節レバー	1
36	5118	" " " " " screw	" " 止ネジ	1
37	204883	" " " " lever (front)	" " 補助板	1
38	1216	" " " " " screw	" " " 止ネジ	1
39	204142B	" " " " lever guide	" " 案内板	1
40	5118	" " " " " screw	" " " 止ネジ	2
41	204143A	" " " " " lift guide	" " 調節片	2
42	5321A	" " " " " adjusting screw	" " 調節ネジ	1
43	204870	" " " " " nut	" " 調節ナット	1
44	202868	" " " " " washer	" " " 座金	1
45	204756	" " " " " spring	差動調節バネ	1
46	204757	" " " " " latch screw	" " 掛金	1
47	204869	Knee controller chain hook latch screw	ヒザ揚げ掛金	1



(2) MAIN AND DIFFERENTIAL FEED MECHANISM

送り機構 (2)


Ref. No. 参照番号	Parts No. 部品番号	Name	名称	Qt. 数量
1	204751	Feed bar shaft	送り台シャフト	1
2	204107	" " " thrust washer	" スラストワッシャー	1
3	4009-1	" " " " " screw	" " 止ネジ	1
4	204054	" " " bushing	" 軸受	2
5	201056	" " " collar	" スラストカラー	1
6	5084	" " " " " screw	" " 止ネジ	2
7	204110A	Main feed regulating crank	主送りクランク	1
8	5219	" " " " " clamp screw	" 抱締ネジ	1
9	204111	" " " connecting link	主送り連結杆	1
10	204618	" " " " " oil wick	" 給油フェルト	1
11	204588	" " " " " " " retainer	" " 止金	1
12	204112	" " " " " pin	" ピン	1
13	5137	" " " " " " " nut	" " 止ナット	1
14	202286	" " " " " " " washer	" " バネ座金	1
15	204114	" " " " " bushing	" ブッシュ	1
16	5231	" " " " " " " screw	" " 止ネジ	1
17	204115	" " " " " " " washer	" " ワッシャー	2
18	204467	Differential feed regulator, complete with 204116A, 404117A, 204119A, 5029x2, 204121, 1435 & 3044	差動送り調節器 (組) 204116A, 204117A, 204119A, 5029x2, 204121, 1435, 3044 / 組	1
19	* 204116A	Differential feed regulating segment	" 調節クランク	1
20	5219	" " " " " " " clamp screw	" " 抱締ネジ	1
21	* 204117A	" " " " " " " block	" 調節器	1
22	204118	" " " " " " " thrust washer	" " スラストワッシャー	1
23	3001	" " " " " " " " " screw	" " " 止ネジ	1
24	* 204119A	" " " " " " " cover	" " 蓋	1
25	5029	" " " " " " " " " screw	" " 止ネジ	4
26	* 204121	" " " " " " " slide	" " ライナー	1
27	1435	" " " " " " " " " screw	" " 調節ネジ	1
28	3044	" " " " " " " " " nut	" " ナット	1
29	204122	" " " " " " " connecting link	差動送り連結杆	1
30	204114	" " " " " " " bushing	" ブッシュ	1
31	5231	" " " " " " " " " screw	" " 止ネジ	1
32	204115	" " " " " " " " " washer	" " ワッシャー	2
33	204123A	Main feed bar	主送り台	1
34	204124	Differential feed bar	差動送り台	1
35	204128A	Feed bar hinge pin	送り台ピン	1
36	5084	" " " " " " " " " screw	" " 止ネジ	1
37	204439	" " " " " " " " " washer	" " 座金	1
38	5317	" " " " " " " " " screw	" " 止ネジ	1
39	204129A	" " " " " " " " " guide bushing	送り台案内軸	1
40	2133-1	" " " " " " " " " screw	" 止ネジ	1
41	204810	" " " " " " " " " lift block (split)	送り台上下角玉	1
42	201107	" " " " " " " " " guide block	" 案内角玉	2
43	204709	" " " " " " " " " guide (right)	送り台案内 (右)	1
44	5205	" " " " " " " " " screw	" " 止ネジ	2
	204710A	" " " " " " " " " guide (left), complete with 204814A & 204711	" (左) (組) 204814A, 204711 / 組	1
45	5205	" " " " " " " " " guide (left) screw	" " 止ネジ	2
46	204814A	" " " " " " " " " guide (left)	" " " 止ネジ	1
47	204711	" " " " " " " " " gasket	" " パッキン	1
48	204712	" " " " " " " " " oil splash guard	送り台油除ケ	1
49	204713A	" " " " " " " " " insert plate	" 案内	1
50	204714	" " " " " " " " " plate	" " 止板	1
51	1229	" " " " " " " " " screw	" " 止ネジ	4
52	* * 204125B	Main feed dog, complete with auxiliary feed dog and auxiliary feed dog screw	主送り歯 204126B, 2922 トノ組	1
53	/ 1175-2	" " " " " " " " " dog screw	" 止ネジ	1
	* 204126B	Auxiliary feed dog	補助送り歯	1
	2922	" " " " " " " " " screw	" 止ネジ	1
54	* * 204254B	Differential feed dog	差動送り歯	1
55	1189	" " " " " " " " " screw	" 止ネジ	1



UPPER AND LOWER KNIFE MECHANISM

上・下メス機構


Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	204145	Upper knife drive connection	上メスロッド	1
2	5233	" " " " cap screw	〃 蓋ネジ	2
3	204146	" " " " pin	〃 ピン	1
4	5234	" " " " " screw	〃 〃 止ネジ	1
5	204147	" " " " crank	上メスクランク	1
6	5219	" " " " clamp screw	〃 抱締ネジ	1
7	204148B	" " lever	上メス台	1
8	204149	" " " bushing (left)	〃 前軸受	1
9	204150	" " " bushing (right)	〃 後軸受	1
10	201635	" " " thrust collar	〃 スラストカラー	1
11	5060	" " " " " screw	〃 〃 止ネジ	2
12	* * 201121A	" knife (wide) - carbide tipped	上メス (平メス・巾広)	1
13	* * 202527	" knife (narrow) - carbide tipped	〃 (〃 巾狭)	1
14	5339	" knife screw	〃 止ネジ (平メス用)	1
15	3091	" " nut	〃 止ナット (〃)	1
16	204231A	" " clamp	上メス抱キ	1
17	1170-3	" " " screw	〃 止ネジ	2
18	200821	" " " washer	〃 〃 ワッシャー	2
19	204154	" " " pin	〃 案内棒	1
20	204157	Lower knife holder	下メス台	1
21	4009-1	" " " screw	〃 止ネジ	1
22	204158	" " " spring	〃 押シバネ	1
23	204159	" " " " seat	〃 〃 止板	1
24	5117	" " " " " screw	〃 〃 〃 止ネジ	2
25	204160A	" " " guide	〃 案内	1
26	1175-2	" " " " screw (short)	〃 〃 止ネジ (短)	1
27	5010	" " " " screw (long)	〃 〃 〃 (長)	1
28	* * 204161	" knife	下メス	1
29	204162	" " clamp stud	〃 止ピン	1
30	5260	" " " " nut	〃 〃 ナット	1
31	200098	" " " " " washer	〃 〃 〃 座金	1
32	204152	Upper knife (angled)	上メス (角メス)	1
33	204835	" knife (angled) - carbide tipped	〃 (超硬角メス)	1
34	5229	" knife screw	〃 止ネジ (角メス用)	1
35	204153	" " clamp	〃 抱キ	1
36	1170	" " " screw	〃 〃 止ネジ	1
37	204155	" " gib	〃 押エ	1
38	204156	" " guard	切屑押シ	1



PRESSER FOOT AND LIFT MECHANISM

押 工 機 構


Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	204163A	Presser Arm	押工台	
2	5214	" " screw	止ネジ	1
3	202503	" " regulator	前後調節器	1
4	5214	" " " screw	止ネジ	1
5	202683	" " lift regulator	上下調節器	1
6	5118	" " " " screw	止ネジ	1
7	204237	" " swing-out connection	ヒンジ	1
8	5164	" " " " hinge screw	蝶番ネジ	1
9	201141	" " " " " collar	ブッシュ	1
10	201308	Chaincutter knife	チェーンカッター	1
11	1333	" " " screw	止ネジ	
12	204327A	Presser foot holder, complete with 204236B, 204328A & 5323	押工取付台 (組) 204236B, 204328A, 5323ノ組	2
13	4009-1	" " holder bracket screw	止ネジ	1
	* 204236B	" " " bracket	押工取付台	1
	* 204328A	" " holder	押工取付金	1
	5323	" " " hinge pin	ヒンジピン	1
14	204172	" " lift regulator	大押工調節金	1
15	5077	" " " " screw	止ネジ	1
16	* * 204167B	" foot, complete with 204169B, 204170B, 204496, 204497, 5331, 204171B & 5030	押工 (組) 204169B, 204170B, 204496, 204497, 5331, 204171B, 5030ノ組	1
	* 204169B	" foot body	大押工	1
	* 204170B	" " auxiliary	小押工	1
	* 204496	" " " hinge pin	ヒンジピン	1
	* 204497	" " " " retaining ring	止輪	1
	5331	" " " " " nut	止ナット	1
	* 204171B	" " " " spring	バネ	1
17	5030	" " " " " screw	止ネジ	1
18	1229	" " " screw	押工止ネジ	1
19	204173A	" " fabric guard	補助押工	1
20	5077	" " " " screw	止ネジ	1
20	204329	" " body spring	大押工バネ	1
21	5291	" " " " " screw (large)	止ネジ (大)	1
22	2921	" " " " " screw (small)	止ネジ (小)	1
23	204164	Foot lift lever shaft	押工台軸	1
24	204165	" " " " " bushing, complete with 204313x2	ブッシュ 204313×2 トノ組	1
	* 204313	" " " " " bushing liner	ライナー	2
25	2133-1	" " " " " screw	止ネジ	1
26	204166	" " intermediate lever	レバー	1
27	2022-4	" " " " " screw	止ネジ	1
28	202641	Presser bar, complete with 202642 & 5053x2	押工棒 202642, 5053×2 トノ組	1
29	* 202642	" bar guide	片	1
30	5053	" " " " " screw	止ネジ	2
31	201388	" " spring	押工バネ	1
32	202643	Pressure regulating thumb screw	調節ネジ	1
33	202644A	Hand lift lever	手揚	1
34	202645	" " " " " spring plunger	軸	1
35	202646A	" " " " " " bushing	ブッシュ	1
36	5029	" " " " " " screw	止ネジ	1
37	202647A	" " " " " " hinge pin	ピン	1
38	201395	" " " " " " spring	バネ	1
39	204177B	Foot lift lever	足揚レバー	1
40	1202	" " " " " screw	止ネジ	2
41	5232	" " " " " stop screw	ストップネジ	1
42	202683	" " " " " regulator	調節器	1
43	5118	" " " " " " screw	止ネジ	1
44	204178	" " " " " " spring	足揚バネ	1
45	204179A	" " " " " cam	足揚案内	1
46	204241	" " " " " bushing	ブッシュ	1
47	204590	" " " " " pin screw	ピンネジ	1
48	204591	" " " " " " roller	ピンローラー	1
49	5141	" " " " " " screw	止ネジ	1
50	5236	" " " " " regulating screw stud	調節ネジ	1
51	2913-2	" " " " " " " stop screw	押ネジ	2
52	2921	Cord and piping foot screw	パイピング用押工止ネジ	1



(1) PUMP LUBRICATING MECHANISM

給油機構 (1)

Ref. No. 照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	204593	Gear pump, complete with parts of Ref. 1 to 12.	ギヤーポンプ (組) (参照番号 1 ~ 12 ノ組)	1
	204180	Gear pump housing, complete with 204181, 201290A, 2213-1x2, 204182x2 & 5145	ケーシング (組) 204181, 201290A, 2213-1x2, 204182x2, 5145 ノ組	1
	* 204181	" pump base	ポンプベース	1
	* 201290A	" casing	ギヤーケース	1
	2213-1	" " screw	" 止ネジ	2
	* 204182	" " cotter pin	ロールピン	2
2	5145	" pump housing oil plug screw	油送穴蓋ネジ	1
3	* 201293	" " casing plate	側板	1
4	5117	" " " " screw	" 止ネジ	4
5	* 201294	Pump gear (right)	ポンプギヤー (A)	1
6	* 201295	" gear (left)	" (B)	1
7	* 204183	" " shaft (long), complete with 201009	ギヤーシャフト (A) 201009 トノ組	1
8	* 201009	" " " " key	" " キー	1
9	* 204184	" " shaft (short)	" (B)	1
10	1458	" " " " screw	" " 止ネジ	2
11	* 204187	Worm wheel	ウォームホイール	1
12	5060	" " screw	" 止ネジ	2
13	204186	Worm	ウォーム	1
14	2022	" screw	" 止ネジ	1
15	204185	Gear pump outlet "O" ring	ポンプ吐出口 O リング	1
16	5094	" " housing screw	ケーシング (組) 止ネジ	2
17	201338	Oil screen filter	フィルター	1
18	201311	" " " gasket	" 内枠パッキン	1
19	201341	" " " frame	" 取付板	1
20	5117	" " " screw	" 止ネジ	1
21	204188	" cooler assembly, complete with 204190x3, 201484 & 204191x2	冷却器 204190x3, 201484, 204191x2 ノ組	1
	* 204190	" cooler tube	冷却管	3
	* 201484	" " " plate	" 固定帯板	1
	* 204191	" " " joint	" 継手	2
22	5142	" " " " screw	" " 止ネジ	8
23	204192	" " " " gasket	" " パッキン	2
24	204189	" " " clamp	冷却器止金	1
25	3001	" " " " screw	" 止ネジ	1



(2) PUMP LUBRICATING MECHANISM

給油機構 (2)

Ref. No. 参照番号	Parts No. 部品番号	Name	名 称	Qt. 数量
1	204193	Oil distributor	油配分器	1
2	200152	" " screw	" 止ネジ	1
3	200138	" " " washer	" " パッキン	2
4	201323	" " splash screw	" 噴油口金	1
5	202903	" " plug	" 油栓	1
6	204194	" splash pipe, complete with 204195 & 201757	噴油管 (組) 204195, 201757ノ組	1
7	201758	" " pipe screw	" " 止ネジ	1
8	201759	" " " washer	" " パッキン	2
	* 204195	" " pipe	" "	1
	* 201757	" " " joint	" 継手	1
	204845	" pressure relief valve, complete with 204846, 204822, 2921, 202875 & 204847	給油流量制御弁 (組) 204846, 204822, 2921, 202875, 204847ノ組	1
9	200138	" " " valve gasket	" " パッキン	2
10	* 204846	" " " casing	" ケーシング	1
11	* 204822	" " " spring	" バネ	1
12	2921	" " " " " screw	" 止ネジ	1
13	* 202875	" " " " " " washer	" " " 座金	1
14	* 204847	" " " " " ball	" 球	1
15	200698	" tube for lubricating 204016 crankshaft bushing (center)	中間ブッシュ給油パイプ	1
16	200136	" " joint	" 継手 (雌)	2
17	200152	" " " stud	" (雄)	2
18	202199	" " clamp	" 止バネ	2
19	200138	" " joint washer	" 継手パッキン	4
20	204198	" cooling fan	ファン	1
21	204200A	" pan	オイルパン	1
22	204202	" " filter	" 油濾	1
23	204203	" " " plate	" " 止板	1
24	1216	" " " " screw	" " 止ネジ	2
25	5138B	" drain plug screw	" 排油穴蓋ネジ	1
26	202287A	" " " " washer	" " パッキン	1
27	204201	" pan gasket	" パッキン	1
28	5150B	" " bolt	" 取付ボルト	4
29	204806	" " " washer	" " パッキン	4
30	204865	Machine cover (left), complete with 204866, 201371 & 204858x2	横カバー (組) 204866, 201371, 204858×2ノ組	1
	204866	" cover (left)	"	1
31	5091	" " " screw (short)	" 止ネジ (短)	2
32	5182	" " " " screw (long)	" " (長)	1
33	204493	2:1 diff. feed ratio indication plate	標示板 (差動比 2 : 1 用)	1
34	204494	3:1 diff. feed ratio indication plate	" (" 3 : 1 用)	1

部 品 番 号 索 引

- 34 -

PartsNo. Page Ref. No.	PartsNo. Page Ref. No.	PartsNo. Page Ref. No.	PartsNo. Page Ref. No.	PartsNo. Page Ref. No.
部品番号 頁 参照番号	部品番号 頁 参照番号	部品番号 頁 参照番号	部品番号 頁 参照番号	部品番号 頁 参照番号
204022 9 21	204115 21 5	204200A 33 21	204497 29	204850 3 8
204023 9 24	204115 25 17	204201 33 27	204498 23 34	204851 5 2
204024 9 25	204115 25 32	204202 33 22	204517 21 11	204852 7 22
204025 9 27	204116A 25 19	204203 33 23	204518 21 8	204854 15
204026 9 30	204117A 25 21	204208 5 6	204519 21 2	204865 33 30
204028 9 35	204118 25 22	204209A 5 7	204520 9 10	204866 33
204029 11 1	204119A 25 24	204210A 5 10	204520 21 3	204869 23 47
204031 11 8	204121 25 26	204211 5 11	204521 11 26	204870 23 43
204032 11 9	204122 25 29	204212A 5 13	204522 11	204871 7 38
204033A 11 10	204123A 25 33	204213A 5 14	204536 11 24	204873 9 9
204037A 13	204124 25 34	204215 5 16	204588 25 11	204874 21 13
204039B 13 44	204125B 25 52	204216 5	204590 29 47	204875 21 14
204042 11	204126B 25	204217 5	204591 29 48	204877 13 20
204045 13 42	204128A 25 35	204218 5 20	204593 31	204878 13
204046 11 14	204129A 25 39	204219 5	204618 25 10	204879 13
204047 15 1	204134A 23 20	204222 7 3	204622A 3 4	204881 9 5
204047 17 1	204135 23 22	204223 7 7	204625 13 22	204883 23 37
204048A 15 7	204139A 23 30	204224 7 10	204626 13 27	204901 17 30
204048A 17 7	204140A 23 32	204225 7 14	204627 13 24	204902 15 49
204050A 15 13	204142B 23 39	204226 7 15	204628 13 4	204905 15 47
204052A 15 14	204143A 23 41	204227 7 17	204646 7 39	205088 3 15
204052A 17 15	204145 27 1	204228 7 19	204648 9 33	201484 31
204052A 19 11	204146 27 3	204229 3 25	204649 7 37	DCX1 13 46
204052A 23 27	204147 27 5	204231A 27 16	204650A 7 24	DMX13 13 47
204054 17 14	204148B 27 7	204233 19 18	204657 11 19	
204054 25 4	204149 27 8	204235 13 19	204658 9 32	
204055A 15 18	204150 27 9	204236B 29	204682 23	
204057A 15 24	204152 27 32	204237 29 7	204709 25 43	
204059 15 29	204153 27 35	204241 29 46	204710A 25	
204060 15 31	204154 27 19	204242 7 28	204711 25 47	
204061 15 34	204155 27 37	204243 7 30	204712 25 48	
204062 15 35	204156 27 38	204247 5	204713A 25 49	
204063A 15 45	204157 27 20	204251 3 5	204714 25 50	
204069A 15 9	204158 27 22	204254B 25 54	204732 15 25	
204069A 17 10	204159 27 23	204273 15 26	204733 9 1	
204071 17 16	204160A 27 25	204274 15 27	204734 9 8	
204072 17 19	204161 27 28	204276 11 13	204751 25 1	
204075 19 1	204162 27 29	204277 3 12	204752 23 25	
204076 19 7	204163A 29 1	204279 17 21	204753 23 26	
204077 19 28	204164 29 23	204293 17 18	204754 23 28	
204078 19	204165 29 24	204293 19 23	204755 23 35	
204079 19 9	204166 29 26	204311 15 10	204756 23 45	
204080 19 10	204167B 29 16	204311 17 11	204757 23 46	
204081 15 15	204169B 29	204313 29	204781 11 20	
204081 19 12	204170B 29	204314A 19 24	204782 11 22	
204082A 21 1	204171B 29	204319 9 7	204783 11 16	
204084 21 10	204172 19 26	204324 21 31	204789 17 9	
204084 23 4	204172 29 14	204325 5 26	204794A 3 26	
204085 23 5	204173A 29 18	204326 5	204794A 5	
204086B 23 15	204177B 29 39	204327A 29 12	204795 5	
204087 21 18	204178 29 44	204328A 29	204799 7 26	
204089 21 15	204179A 29 45	204329 29 20	204800 7	
204090 19 13	204180 31 1	204348 13	204801 7	
204091 19 15	204181 31	204352 23 7	204802 7	
204092 19 16	204182 31	204353 23 10	204806 33 29	
204093 19 21	204183 31 7	204354 11 2	204810 25 41	
204095A 21 25	204184 31 9	204355 12 2	204814A 25 46	
204096 21 27	204185 23 24	204356 13 2	204822 33 11	
204097A 21 28	204185 31 15	204357 19 2	204828 3 17	
204098 21 33	204186 31 13	204430 1	204835 27 33	
204099 21 35	204187 31 11	204431 1	204840 13	
204100 23 1	204188 31 21	204437 16 1	204842 5 1	
204101A 23 9	204189 31 24	204438 17 1	204843 5	
204102A 23 18	204190 31	204439 37 2	204844 5	
204107 25 2	204191 31	204448 21	204845 33	
204110A 25 7	204192 31 23	204463A 2	204846 33 10	
204111 25 9	204193 33 1	204467 18 2	204847 33 14	
204112 25 12	204194 33 6	204493 33 3	204848 7 1	
204114 25 15	204195 33	204494 34 3	204849 3 13	
204114 25 30	204198 33 20	204496 2	204849 13 40	