






MAIN FRAME, BUSHINGS, OIL GAUGE HEAD OIL SIPHON
AND MISCELLANEOUS OILING PARTS

Ref. No.	Part No.	Description	Amt. Req.
1	61490 B	Main Shaft Bushing Housing, including bushing -----	1
2	61490 C	Bushing -----	1
3	63494 R	Plug, for bed -----	1
4	22569 B	Screw -----	4
5	666-200	Oil Felt -----	1
6	666-254	Felt Baffle -----	1
7	63993	Head Oil Supply Line -----	1
8	666-225	Felt, for No. 63993 -----	1
9	63984 C	Spring Clip, for No. 666-223 -----	1
10	666-223	Roll Felt -----	1
11	63993 C	Head Oiler Assembly -----	1
12	22784 K	Screw -----	2
13	61494 N	Retaining Grommet -----	1
14	63494 M	Oil Siphon Connecting Tube -----	1
15	56393 AA	Oil Tube -----	2
16	22815	Plug Screw -----	1
17	666-224	Roll Felt, for No. 61490 D -----	1
18	666-228	Oil Felt, for No. 61985 B -----	1
19	61985 H	Needle Bar Frame Rocker Shaft Bushing, right -----	1
20	61985 G	Needle Bar Frame Rocker Shaft Bushing, left -----	1
21	61494 L	Stud -----	1
22	63994	Oil Siphon Head Tube -----	1
23	666-214	Oil Felt -----	1
24	63953 A	Oil Shield -----	1
25	22564	Screw -----	1
26	63957 A	Presser Bar Bushing, lower -----	1
27	51-159 Blk.	Plug -----	1
28	61490 D	Upper Main Shaft Bushing, left -----	1
29	63494 C	Oil Gauge Float Assembly -----	1
30	61494 D	Oil Gauge Float -----	1
31	61494 E	Oil Gauge Float Lever -----	1
32	21629 A	Screw -----	1
33	22564	Screw -----	1
34	63494	Oil Siphon Primer Position Bracket -----	1
35	63962 D	Lower Reduction Gear Shaft Bushing, left -----	1
36	63962 G	Upper Reduction Gear Shaft Bushing, left -----	1
37	666-238	Bed Oil Drain Hole Felt -----	1
38	61293 N	Bed Plug -----	1
39	63494 D	Head Oil Siphon Assembly -----	1
40	666-237	Felt Plug -----	1
41	666-221	Oil Wick, for bushing housing -----	1
42	63962 E	Middle Reduction Gear Stud Bushing -----	1
43	63962 F	Upper Reduction Gear Shaft Bushing, right -----	1
44	63962 C	Lower Reduction Gear Shaft Bushing, right -----	1
45	63494 K	Oil Gauge Assembly -----	1
46	63494 F	Nut -----	1
47	63494 G	Spring Washer -----	1
48	660-455	"O" Ring -----	1
49	61432 B	Hook Drive Shaft Bushing, right -----	1
50	61494 H	Oil Gauge Connecting Link -----	1
51	660-221	"O" Ring -----	1
52	11635 B	Nut -----	1
53	61494 F	Float Lever Pivot Stud -----	1
54	61496 P	Hook Oil Control Shaft Bushing -----	1
55	61496 S	Hook Oiling Control Adjusting Bushing -----	1
56	61441 A	Hook Shaft Bushing, right -----	1
57	63432 C	Hook Drive Shaft Bushing, left -----	1
58	63993 B	Hook Shaft Bushing Oil Tube -----	1
59	666-239	Oil Wick, for No. 63993 B -----	1
60	666-234	Head Oil Attraction Felt -----	1
-	63490 B	Gasket, for No. 61490 B (not shown) -----	1




MAIN FRAME MISCELLANEOUS COVERS AND NEEDLE TENSION PARTS

Ref. No.	Part No.	Description	Amt. Req.
1	63494 A	Gasket-----	1
2	22733 D	Plug Screw, for oil filler hole-----	1
3	22570 A	Screw -----	1
4	61470 D	Frame Thread Eyelet -----	1
5	22539 P	Plug Screw-----	4
6	63982 A	Top Cover -----	1
7	90	Screw -----	1
8	63982 F	Spring Clip-----	1
9	61982 C	Top Cover Hinge-----	2
10	61982 D	Top Cover Hinge Pin-----	4
11	22894 E	Screw, for No. 61451 B -----	1
12	63494 B	Plug, plastic -----	6
13	22516	Screw -----	2
14	63982	Head Cover -----	1
15	63970 B	Needle Bar Bushing Thread Guide -----	1
16	63970 A	Thread Pull-up Bracket -----	1
17	63470 A	Upper Needle Thread Eyelet -----	1
18	63470	Lower Needle Thread Eyelet -----	1
19	90	Screw -----	1
20	22766	Screw -----	1
21	63492	Tension Post Eyelet-----	1
22	HS24 C	Screw -----	1
23	22562	Screw -----	2
24	22766	Screw -----	1
25	61470 C	Thread Guide-----	1
26	22597 E	Set Screw, for tension assembly-----	1
27	22863 B	Stop Screw, for tension assembly-----	1
28	61471 A	Frame Thread Eyelet -----	1
29	22805	Screw -----	1
30	63971 A	Take-up Lever Hood -----	1
31	666-222	Felt Pad -----	1
32	22564	Screw -----	1
33	63451	Take-up Shield -----	1
34	29475 AR	Thread Tension Assembly -----	1
35	660-269 A	Quad Ring-----	1
36	61492 E	Tension Post Socket-----	1
37	22560 G	Set Screw -----	1
38	61492 G	Tension Release Pin -----	1
39	61492 F	Tension Post -----	1
40	63453	Take-up Spring -----	1
41	109	Tension Disc -----	2
42	61492 H	Tension Release Washer-----	1
43	61392 F-14	Tension Spring -----	1
44	61292 C	Tension Nut -----	1
45	21680 AX	Base Plate -----	1
46	22652 D-8	Screw, for base plate -----	3
47	21665 H	Folder Actuator Finger, for Style 63900 M -----	1
48	21662 AF	Pivot Pin Bracket, front, for Style 63900 M -----	1
49	660-254 D	Retainer Ring, for Style 63900 M -----	2
50	21664 J	Pivot Pin, for Style 63900 M -----	1
51	22517 B	Screw, for Style 63900 M -----	2
52	63996	Hook Oil Return Channel-----	1
53	666-240	Hook Oil Return Channel Felt -----	1
54	21662 AE	Pivot Pin Bracket, rear, for Style 63900 M -----	1
55	22644 K-48	Screw -----	2
56	652-16	Washer -----	2
57	63982 C	Oil Reservoir Bottom Cover -----	1
58	22571 F	Plug Screw-----	1
59	61482 J	Gasket-----	1
60	660-204	"O" Ring-----	2
61	660-219 A	Roll Pin -----	1
-	660-409	Tension Release Bushing Plug (not shown) -----	1




MAIN AND HOOK DRIVE SHAFTS, NEEDLE BAR
AND FOOT LIFTER MECHANISM

Ref. No.	Part No.	Description	Amt. Req.
1	63917 B	Needle Bar, marked "EN", for Styles 63900 M, 63900 T -----	1
• 1A	39151	Needle Clamp Nut -----	1
2	63917 A	Needle Bar, marked "EM", for Style 63900 W, 63900 AE -----	1
• 2A	22768 A	Needle Clamp Screw -----	1
3	63443	Hook Shaft Driving Gear -----	1
4	22894 C	Set Screw -----	2
5	63940	Hook Driving Shaft -----	1
6	61360 G	Thrust Collar -----	1
7	22884	Screw -----	2
8	61460 A	Hook Driving Shaft Sprocket -----	1
9	22653 D-6	Screw -----	2
10	61460 B	Feed Driving Belt -----	1
11	660-269	Quad Ring -----	1
12	63921	Handwheel Assembly -----	1
13	61421 G	Hub Washer -----	1
14	61421 E	Handwheel Isolator -----	2
• 15	22574 C	Screw -----	3
16	63921 BA	Handwheel -----	1
17	660-254 D	Isolator Washer -----	3
18	61421 D	Pulley -----	1
19	22894 V	Set Screw -----	2
20	652 B-20	Lock Washer -----	1
21	61468 B	Lifter Lever Extension Stud and "S" Hook -----	1
22	421 H	Lifter Lever Chain -----	1
23	22890 A	Screw, left thread -----	1
24	63466	Lifter Lever -----	1
25	61467	Lifter Lever Link -----	1
• 26	22758 B	Screw -----	1
27	15872 F	Lifter Lever Spring -----	1
28	22817 A	Screw -----	1
29	660-283 A	Spring Grip Fastener -----	1
30	61468 D	Chain Hook -----	1
31	63479 E	Main Shaft Reduction Drive Gear -----	1
32	22651 CD-3	Set Screw -----	2
33	61460	Main Shaft Driving Sprocket -----	1
34	22884	Set Screw -----	2
• 35	9937	Nut -----	1
36	22874 F	Screw -----	1
37	29475 BK	Main Shaft Assembly -----	1
• 38	22839	Screw -----	2
38A	22894 W	Spot Screw -----	1
39	22894 V	Set Screw -----	2
40	29486 V	Take-up Lever And Needle Bar Link Assembly -----	1
41	61451	Take-up Lever -----	1
42	61451 G	Take-up Lever Eyelet -----	1
43	61451 D-625	Needle Bearing, .0625 inch diameter -----	38
	61451 D-626	Needle Bearing, .0626 inch diameter -----	38
	61451 D-627	Needle Bearing, .0627 inch diameter -----	38
44	61455	Needle Bar Link -----	1
• 45	22757 D	Screw -----	1
• 46	63455	Thrust Washer -----	1
47	63952 B	Take-up Lever Crank Pin, marked "L" -----	1
48	61451 A	Takeup Lever Link -----	1
• 49	61351 C	Thrust Washer -----	1
• 50	22784 E	Screw -----	1
51	61255	Needle Bar Connection -----	1
• 52	22562 B	Screw -----	1
53	61451 B	Take-up Lever Pin -----	1
54	61468 F	Lifter Lever Bell Crank -----	1
55	61468 E	Bell Crank Roller -----	1
56	22712 G	Screw -----	1



NEEDLE FEED DRIVING PARTS


<u>Ref. No.</u>	<u>Part No.</u>	<u>Description</u>	<u>Amt. Req.</u>
1	22894 E	Screw, for No. 61985 A -----	1
2	61985 J	Needle Bar Frame Pivot Adjustable Bushing -----	1
3	666-139	Oil Wick -----	1
4	61985 A	Needle Bar Frame Pivot Stud-----	1
5	63985	Needle Bar Frame -----	1
6	22504 H	Screw-----	2
7	61985 D	Needle Bar Frame Rock Shaft Connecting Link -----	1
8	61985 B	Needle Bar Frame Rock Shaft -----	1
9	51773	Collar -----	1
10	88 B	Screw-----	1
11	61984 C	Needle Bar Drive Eccentric Connecting Stud -----	1
12	61985 F	Needle Bar Frame Rock Shaft Driving Lever -----	1
13	22839	Clamp Screw -----	1
14	60038 G	Bearing Sleeve-----	1
15	666-173	Oil Wick -----	1
16	20	Washer -----	1
17	18	Nut -----	1
18	29126 EL	Needle Feed Drive Eccentric and Connecting Rod Assembly -----	1
19	22894 J	Set Screw -----	2
20	63984 A	Needle Bearing Retaining Collar -----	1
21	95	Screw-----	2
22	14077	Nut -----	3



PRESSER FEET, PRESSER BAR, TOP FEED ROLLER
MECHANISM AND ATTACHMENTS


Ref. No.	Part No.	Description	Amt. Req.
1	63920	Presser Foot, marked "AF", for Style 63900 W	1
2	22585 A	Screw	1
3	27-435 Blk.	Washer	4
4	61458 H	Presser Foot Shank	1
5	21756 G	Screw Pin	1
6	61439 AN	Presser Foot Shank Hinge Pin	1
7	22738 B	Screw	2
8	95	Set Screw, for No. 63957	1
9	22882	Screw, for No. 63957	1
10	61458 D	Presser Foot Tension Bar	1
11	22845	Screw Pin	1
12	61458 C	Presser Foot Lifter Block	1
13	88 B	Screw	1
14	230	Screw	1
15	63959 B	Presser Bar Guide	1
16	73 C	Screw	1
17	22570	Screw	1
18	63956	Roller Presser Spring	1
19	61256 G	Presser Spring Washer	1
20	61257 G	Presser Spring Regulator and Bushing	1
21	63457 R	Presser Bar Spring Washer	1
22	63958	Presser Bar Connection	1
23	660-219 B	Roll Pin	1
24	61458 G	Tension Release Cam	1
25	63957	Presser Bar	1
26	61439 AM	Top Roller Bracket	1
27	54430 E	Pin	1
28	660-249	Needle Bearing	2
29	63939 K	Top Feed Roller Shaft	1
30	110-4	Presser Foot Tension Regulating Spring	1
31	51292 C	Presser Foot Tension Regulating Nut	1
32	138	Screw	2
33	61439 AK	Top Feed Roller, 48 teeth, 1 1/4 inch diameter	1
33A	61439 AG	Top Feed Roller, coarse knurl, 1 1/4 inch diameter	1
34	95	Set Screw	2
35	61439 AP	Upper Roller Stripper	1
36	22798 A	Screw, for No. 61430 V, on Styles 63900 W, 63900 AE	1
37	61430 V	Spring, for edge guide, on Style 63900 W, 63900 AE	1
38	21629	Screw, for No. 61430 BW, on Style 63900 W and 61430 CL on Style 63900 AE	1
39	61430 CL	Edge Guide, for Style 63900 AE	1
39A	61430 BW	Compensating Edge Guide, for Style 63900 W	1
40	22738 F	Screw, for No. 61430 BX, on Style 63900 W	2
41	61430 BX	Compensating Edge Guide, for Style 63900 W	1
42	63903	Edge Guide Mounting Bracket, for Style 63900 T	1
43	22875	Screw, for No. 63903, on Style 63900 T	2
44	61403	Edge Guide, for Style 63900 T	1
45	22704	Screw, for No. 61403, on Style 63900 T	1
46	63930 E	Presser Foot Bottom, for Style 63900 AE	1
47	63920 A	Presser Foot, for Style 63900 T	1
48	73 A	Screw	1
49	61430 R	Presser Foot Edge Guide	1
50	63920 B-3/8	Presser Foot, for 3/8 inch hem, on Style 63900 M	1
50A	63920 B-1/2	Presser Foot, for 1/2 inch hem, on Style 63900 M	1
51	22738 B	Screw	1
52	61430 X	Presser Foot Needle Guard, marked "A"	1
53	23564	Hemmer, complete, for making 3/8 inch to 1/2 inch turned down hems, on Style 63900 M	1
54	6958	Collar	1
55	88	Set Screw	1
56	23564 E	Hemmer Operating Rod	1
57	23564 D	Hemmer Base	1
58	22711	Screw	2
59	23564 A	Hemmer Scroll, right	1
60	23564 B	Hemmer Scroll, left	1
61	23364 AG	Hemmer Scroll Slide Spring	1
62	22593	Screw	2
63	91 A	Stop Screw	1
64	23564 C	Hemmer Scroll Slide	1
65	907	Nut	1
66	20110	Hemmer Operating Rod Spring	1
67	22711	Screw, for No. 23564, on Style 63900 M	2
68	23564 G	Hemmer Mounting Bracket	1
69	22517 B	Screw	2

* Available if specified on order or as an extra send and charge item.



ROTATING HOOK ASSEMBLY AND HOOK OILING PARTS

<u>Ref. No.</u>	<u>Part No.</u>	<u>Description</u>	<u>Amt. Req.</u>
1	29474 S	Rotating Hook Assembly -----	1
2	63913 A	Bobbin Case Assembly -----	1
3	61415 A	Bobbin Case Latch Lever -----	1
4	61216	Bobbin Case Latch Hinge Pin -----	1
5	61216 N	Bobbin Case Latch Spring -----	1
6	22564 E	Screw -----	2
7	22716 B	Tension Regulating Screw -----	1
8	61414 C	Bobbin Case Tension Spring -----	1
9	63913	Bobbin Case -----	1
10	61415	Bobbin Case Latch -----	1
11	61212	Bobbin -----	1
12	63914	Bobbin Case Holder -----	1
13	63907 A	Hook, Thread Retainer and Thread Deflector Assembly -----	1
14	61411 A	Hook Thread Retainer -----	1
15	22716 H	Screw -----	3
16	22569 H	Set Screw -----	2
17	22565 M	Screw -----	1
18	63908	Hook -----	1
19	61210 B	Hook Thread Deflector -----	1
20	22716 A	Screw -----	4
21	61351 C	Thrust Washer -----	2
22	12865	Thrust Collar -----	1
23	88	Screw -----	2
24	61444	Hook Shaft Pinion -----	1
25	89	Screw -----	2
26	61440	Hook Shaft -----	1
27	63432	Hook Shaft Collar, left -----	1
28	HA73 B	Screw -----	2
29	61496 V	Hook Shaft Wick Insert Assembly -----	1
30	22516 B	Screw -----	1
31	51225 W	Washer -----	1
32	61496 F	Retaining Spring -----	1
33	61496 G	Pivot Pin -----	1
34	61496 E	Hook Oil Feed Roller -----	1
35	63496 B	Metering Cup -----	1
36	61496 J	Air Seal Spring -----	1
37	666-181	Oil Supply Felt -----	1
38	666-182	Air Seal Felt -----	1
39	61496 C	Pump Disc -----	1
40	660-219 D	Roll Pin -----	1
41	61496 D	Pump Disc Pivot Pin -----	1
42	35857 R	Spring -----	1
43	61496 L	Hook Oil Control Shaft -----	1
44	61496 K	Hook Oil Control Finger -----	1
45	27-527 Blk.	Washer -----	1
46	22819	Screw -----	1
47	61496 P	Hook Oil Control Shaft Bushing -----	1
48	22894 R	Spot Screw -----	1
49	61496 N	Oil Control Adjusting Shaft -----	1
50	660-221	Oil Seal Ring -----	1
51	39198 D	Spring Washer -----	1
52	61496 M	Oil Control Cog -----	2
53	22743	Set Screw -----	1




FEED ROLLER DRIVING PARTS

Ref. No.	Part No.	Description	Amt. Req.
1	63962 H	Lower Reduction Gear-----	1
2	22894 V	Set Screw-----	2
3	39552 C	Thrust Washer-----	2
4	660-318	Truarc Ring-----	2
5	660-207	"O" Ring-----	1
6	63962 L	Middle Reduction Gear-----	1
7	63962 K	Upper Reduction Drive Gear-----	1
8	22878	Set Screw-----	2
9	63962 J	Upper Reduction Driven Gear-----	1
10	22525 C	Screw-----	3
11	22894 J	Set Screw-----	2
12	63962 B	Upper Reduction Gear Shaft-----	1
13	22597 A	Set Screw-----	1
14	63962 A	Middle Reduction Gear Stud-----	1
15	63962	Lower Reduction Gear Shaft-----	1
16	61248 H	Thrust Collar-----	1
17	531	Screw-----	2
*18	63949-39	Upper Stitch Regulating Gear, for Styles 63900 M and 63900 T--	1
* -	63949-37	Upper Stitch Regulating Gear, for Style 63900 W and 63900 AE--	1
19	18-500	Set Screw-----	1
*20	63949-41	Lower Stitch Regulating Gear, for Styles 63900 M and 63900 T--	1
* -	63949-43	Lower Stitch Regulating Gear, for Style 63900 W and 63900 AE -	1
21	18-500	Set Screw-----	1
22	63939	Top Feed Roller Drive Shaft Bushing Housing-----	1
23	63939 H	Top Feed Roller Drive Shaft Bushing-----	1
24	22652 B-10	Screw-----	2
25	63939 A	Top Feed Roller Drive Shaft-----	1
26	61339 D	Lower Feed Roller Drive Gear-----	1
27	95	Set Screw-----	2
28	63982 E	Cloth Plate Extension, for Style 63900 W and 63900 AE-----	1
29	22517 B	Screw, for Style 63900 W and 63900 AE-----	3
30	63939 D	Lower Feed Roller, 24 teeth-----	1
† -	63939 E	Lower Feed Roller, medium diamond knurl-----	1
31	22580	Set Screw-----	1
32	22569 C	Screw-----	2
33	63928	Throat Plate-----	1
33A	63928 A	Needle Hole Insert, .080 inch dia. needle hole-----	1
34	61414 B	Bobbin Case Holder Positioning Finger-----	1
35	22653 K-6	Screw-----	1
36	22875	Screw-----	2
37	63939 N	Lower Feed Roller Stripper-----	1
38	63982 B	Hook Housing Cover, for Styles 63900 M and 63900 T-----	1
39	660-219	Roll Pin, for Styles 63900 M and 63900 T-----	1
40	63941	Hook Shaft Bushing Housing-----	1
41	61441	Hook Shaft Bushing-----	1
42	22637 R-96	Screw, for No. 63941-----	3
43	63939 B	Lower Feed Roller Drive Shaft-----	1
44	51239 E	Lower Feed Roller Driven Gear-----	1
45	22580	Set Screw-----	2
46	63939 G	Lower Feed Drive Shaft Housing-----	1
47	63939 F	Clamp Plate-----	1
48	22569 C	Screw-----	4
49	63939 J	Top Feed Roller Flexible Drive Shaft-----	1
50		Allen Set Screw, standard No. 8-32 national coarse thread, 1/8 inch long-----	4
51	22517 B	Screw-----	1
52	63982 D	Feed Drive Gear Cover-----	1

* See page 14 "Gear Chart", for the gear combinations to produce stitches per inch, other than the ones indicated.

† Available as extra send and charge item.



BOBBIN WINDER AND MISCELLANEOUS ACCESSORIES

<u>Ref.</u> <u>No.</u>	<u>Part</u> <u>No.</u>	<u>Description</u>	<u>Amt.</u> <u>Req.</u>
1	61477 M	Bobbin Winder, complete -----	1
2	61377 Y	Pulley -----	1
3	22878	Set Screw -----	1
* 4	21227 BY	Felt Assembly Adaptor -----	1
5	61212	Bobbin -----	1
* 6	21388 AV	Bearing Housing Puller -----	1
7	22653 E-20	Clamp Screw -----	1
* 8	21227 BZ	Take-up Eyelet Replacement Tool -----	1
9	22789 B	Thumb Screw -----	1
10	21665 L	Bell Crank Actuator Rod, for Styles 63900 T, 63900 W and 63900 AE -----	1
11	21663 F	Knee Press Plate Rod, for Style 63900 M -----	1
12	21665 C	Rock Shaft Connecting Arm, for actuating folder actuator finger No. 21665 H, on Style 63900 M -----	1
13	21663 C	Knee Press Plate Rod, for Styles 63900 T, 63900 W and 63900 AE -----	1
†14	650 AC-36	Screw, for table top -----	4
-	28604 S	Can of Oil, Spec. No. 175, 1 quart (not shown) -----	1
-	660-457	Dust Cover -----	1

* Not furnished with machine, but may be ordered separately as an extra send and charge item.

† Not furnished with machine, but is a component of No. 1400 D pedestal.

NUMERICAL INDEX OF PARTS

Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
*18	33	11635 B	27	*22758 B.....	31
18-500	39	12865	37	*22766.....	29
*20	33	*14077	33	*22768 A.....	31
*HS24 C	29	15872 F	31	*22784 E.....	31
27-435 Blk.....	35	20110	35	*22784 K.....	27
*27-527 Blk.....	37	21227 BY	41	22789 B.....	41
51-159 Blk.....	27	21227 BZ	41	*22798 A.....	35
		*21388 AV	41	22805.....	29
*73 A	35	21629	35	22815.....	27
*HA73 B	37	21629 A	27	22817 A.....	31
*73 C	35	21662 AE.....	29	22819.....	37
*88	35, 37	21662 AF.....	29	*22839.....	31, 33
*88 B.....	33, 35	21663 C	41	*22845.....	35
*89	37	21663 F	41	22863 B.....	29
*90	29	21664 J	29	22874 F.....	31
*91 A	35	21665 C	41	*22875.....	35, 39
*95	33, 35, 39	21665 H	29	22878.....	39, 41
*109	29	21665 L	41	*22882.....	35
*110-4	35	21680 AX.....	29	22884.....	31
*138	35	*21756 G	35	22890 A.....	31
230	35	22504 H	33	22894 C.....	31
421 H	31	*22516	29	22894 E.....	29, 33, 39
*531.....	39	*22516 B	37	*22894 J.....	33, 39
650 AC-36	41	*22517 B	29, 35, 39	22894 R.....	37
*652-16	29	22525 C	39	22894 V.....	31, 39
652 B-20	31	22539 P	29	22894 W	31
660-204	29	*22560 G	29	23364 AG	35
660-207	39	*22562	29	23564.....	35
660-219	39	*22562 B	31	23564 A.....	35
660-219 A	29	*22564	27, 29	23564 B.....	35
660-219 B	35	22564 E	37	23564 C.....	35
660-219 D	37	22565 M.....	37	23564 D.....	35
660-221.....	27, 37	22569 B	27	23564 E.....	35
660-249.....	35	22569 C	39	*23564 G.....	35
660-254 D.....	29, 31	22569 H	37	28604 S.....	41
660-269.....	31	*22570	35	29126 EL	33
660-269 A.....	29	*22570 A	29	29474 S.....	37
660-283 A.....	31	22571 F	29	29475 AR	29
660-318.....	39	*22574 C	31	29475 BK	31
660-409.....	29	*22580	39	29486 V.....	31
660-455.....	27	*22585 A	35	35857 R.....	37
660-457.....	41	*22593	35	*39151.....	31
666-139.....	33	22597 A	39	39198 D.....	37
666-173	33	*22597 E	29	*39552 C.....	39
*666-181	37	22637 R-96	39	*51225 W	37
*666-182	37	22644 K-48	29	51239 E.....	39
666-200	27	22651 CD-3.....	31	*51292 C.....	35
*666-214	27	22652 B-10	39	*51773.....	33
666-221	27	22652 D-8	29	54430 E.....	35
666-222	29	22653 D-6	31	56393 AA	27
666-223	27	22653 E-20	41	60038 G.....	33
666-224	27	22653 K-6	39	61210 B.....	37
666-225	27	*22704	35	*61212.....	37, 41
666-228	27	22711	35	61216.....	37
666-234	27	22712 G	31	61216 N.....	37
666-237	27	22716 A	37	61248 H.....	39
666-238	27	22716 B	37	61255.....	31
666-239	27	22716 H	37	*61256 G.....	35
666-240	29	22733 D	29	61257 G.....	35
666-254	27	*22738 B	35	*61292 C.....	29
*907	35	*22738 F	35	61293 N.....	27
6958	35	*22743	37	61339 D.....	39
*9937	31	*22757 D	31	*61351 C.....	31, 37
				61360 G.....	31
				61377 Y.....	41

NUMERICAL INDEX OF PARTS

Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
61392 F-14.....	29	61494 N.....	27	63928 A.....	39
61403.....	35	61496 C.....	37	63930 E.....	35
61411 A.....	37	61496 D.....	37	63939 A.....	39
61414 B.....	39	61496 E.....	37	63939 B.....	39
61414 C.....	37	61496 F.....	37	*63939 D.....	39
61415.....	37	61496 G.....	37	*63939 D.....	39
61415 A.....	37	61496 J.....	37	63939 E.....	39
61421 D.....	31	61496 K.....	37	63939 F.....	39
61421 E.....	31	61496 L.....	37	63939 G.....	39
61421 G.....	31	61496 M.....	37	63939 H.....	39
61430 R.....	35	61496 N.....	37	63939 J.....	39
61430 V.....	35	61496 P.....	27, 37	63939 K.....	35
*61430 X.....	35	61496 S.....	27	*63939 N.....	39
61430 BW.....	35	61496 V.....	37	63940.....	31
61430 BX.....	35	61982 C.....	29	63941.....	39
61430 CL.....	35	61982 D.....	29	63949-37.....	39
61432 B.....	27	61984 C.....	33	63949-39.....	39
61439 AG.....	35	61985 A.....	33	63949-41.....	39
61439 AK.....	35	61985 B.....	33	63949-43.....	39
61439 AM.....	35	61985 D.....	33	63952 B.....	31
61439 AN.....	35	61985 F.....	33	63953 A.....	27
61439 AP.....	35	61985 G.....	27	63956.....	35
61440.....	37	61985 H.....	27	63957.....	35
61441.....	39	61985 J.....	33	63957 A.....	27
61441 A.....	27	63432.....	37	63958.....	35
61444.....	37	63432 C.....	27	63959 B.....	35
61451.....	31	63443.....	31	63962.....	39
61451 A.....	31	63451.....	29	63962 A.....	39
61451 B.....	31	63453.....	29	63962 B.....	39
61451 D-625.....	31	*63455.....	31	63962 C.....	27
61451 D-626.....	31	63457 R.....	35	63962 D.....	27
61451 D-627.....	31	63466.....	31	63962 E.....	27
61451 G.....	31	*63470.....	29	63962 F.....	27
61455.....	31	*63470 A.....	29	63962 G.....	27
61458 C.....	35	63479 E.....	31	63962 H.....	39
61458 D.....	35	63490 B.....	27	63962 J.....	39
61458 G.....	35	*63492.....	29	63962 K.....	39
61458 H.....	35	63494.....	27	63962 L.....	39
61460.....	31	63494 A.....	29	*63970 A.....	29
61460 A.....	31	63494 B.....	29	*63970 B.....	29
61460 B.....	31	63494 C.....	27	63971 A.....	29
61467.....	31	63494 D.....	27	63982.....	29
61468 B.....	31	63494 F.....	27	63982 A.....	29
61468 D.....	31	63494 G.....	27	*63982 B.....	39
61468 E.....	31	*63494 K.....	27	63982 C.....	29
61468 F.....	31	63494 M.....	27	63982 D.....	39
*61470 C.....	29	63494 R.....	27	63982 E.....	39
*61470 D.....	29	63496 B.....	37	63982 F.....	29
61471 A.....	29	63903.....	35	63984 A.....	33
61477 M.....	41	63907 A.....	37	63984 C.....	27
61482 J.....	29	63908.....	37	63985.....	33
61490 B.....	27	63913.....	37	63993.....	27
61490 C.....	27	63913 A.....	37	63993 B.....	27
*61490 D.....	27	63914.....	37	63993 C.....	27
61492 E.....	29	63917 A.....	31	63994.....	27
*61492 F.....	29	63917 B.....	31	63996.....	29
*61492 G.....	29	63920.....	35		
61492 H.....	29	63920 A.....	35		
61494 D.....	27	63920 B-3/8.....	35		
61494 E.....	27	*63920 B-1/2.....	35		
61494 F.....	27	63921.....	31		
61494 H.....	27	63921 BA.....	31		
61494 L.....	27	63928.....	39		